


Pricelist 2013

# Profoto



Valid from Jan 2013.

 **Profoto**  
The Light Shaping Company™

# Table of content

- PAGE 3 PROFOTO PRO SYSTEM  
– GENERATORS, HEADS & ASSOCIATED ACCESSORIES**  
Pro Studio Generators  
Pro-B Battery Generators  
Heads for Pro & Pro-B generators
- PAGE 6 PROFOTO ACUTE AND D4 SYSTEM  
– GENERATORS, HEADS, ASSOCIATED ACCESSORIES & KITS**  
D4 & Acute2 Studio Generators  
Heads for Acute2 and D4  
AcuteB2 and AcuteB Head  
Acute2 and AcuteB2 Value Kits
- PAGE 10 PROFOTO D1  
– MONOLIGHTS, KITS & ASSOCIATED ACCESSORIES**  
D1 Monolights  
D1 Value Kits
- PAGE 12 PROFOTO CONTINUOUS LIGHTS  
– HEADS, BALLASTS, KITS & ASSOCIATED ACCESSORIES**
- PAGE 14 PROFOTO AIR SYSTEM – WIRELESS SYNC & REMOTE CONTROL**
- PAGE 15 PROFOTO LIGHT SHAPING TOOLS  
– MODULAR LIGHT SHAPERS FOR PROFOTO HEADS & MONOLIGHTS**  
Hard Reflectors  
Ringflash Reflectors  
Softboxes  
Umbrellas  
Giant Reflectors & Giants  
Cine Reflector  
Other Light Shaping Tools
- PAGE 24 PROFOTO SPECIAL APPLICATION HEADS & ACCESSORIES**
- PAGE 27 PROFOTO ACCESSORIES**  
Bags & Cases  
Batteries  
Battery Chargers  
Cables  
Flash Tubes  
Glass Covers  
Lamps  
Powering Accessories  
Stands  
Transport Caps  
Other Accessories

# Pro Studio Generators

The Pro studio generators include the Pro-8 and the Pro-7. These are characterized by extremely fast recycling, the shortest flash duration and easy and reliable operation. That is also why these are the most rented studio generators in the world. All Pro studio generators accept the full range of ProHeads and ProRings.



## Pro-8a

All models feature two outlets, individually adjustable in 1/10 f-stop increments. Up to 10 f-stop power range. Remarkably stable light output and color temperature over range and from flash-to-flash. Extremely fast recycling, capable of firing up to 20 flashes per second. Flash duration down to 1/12,000 sec and kept short even at higher light output. Modeling light up to 2x500W. Built-in Profoto Air wireless sync and remote control with a range up to 300 m. Multi voltage 100-120V / 200-240V / 50-60Hz.

## Pro-7a

All models feature three outlets with asymmetrical/symmetrical power distribution. 6 f-stop power range in 1/6 f-stop increments. Color temperature and light output are accurately maintained at all power levels. Fast recycling. Flash duration down to 1/12,000 sec and kept short even at higher light output. Modeling light up to totally 1000Ws (max 500W/head). Multi voltage 90-130V / 180-240V / 50-60Hz.

## Pro-7s

Two symmetrical outlets. 6 f-stop power range in 1/6 f-stop increments. Color temperature and light output are accurately maintained at all power levels. Fast recycling. Flash duration down to 1/5,300 sec and kept short even at higher light output. Modeling light up to totally 1000Ws (max 500W/head). Multi voltage 90-130V / 180-240V / 50-60Hz.

PRODUCT #	DESCRIPTION	PRICE EURO
901001	<b>Pro-8a 1200 Air</b> Energy 1200 Ws. Energy control 5-1200Ws (9 f-stop). Recycle time 0.05-0.5 sec. Flash duration (t0.5) 1/12,000-1/2,200 sec. Delivered with power cable and synchro cable. Size: 34.5 x 18.5 x 25 cm / 13.6 x 7.3 x 9.8 in. Weight 11.4 kg/25.2 lbs.	€ 7 034
901002	<b>Pro-8a 2400 Air</b> Energy 2400 Ws. Energy control 5-2400Ws (10 f-stop). Recycle time 0.05-0.9 sec. Flash duration (t0.5) 1/12,000-1/1,600 sec. Delivered with power cable and synchro cable. Size: 37 x 18.5 x 25 cm / 14.5 x 17.3 x 9.8 in. Weight 12.2 kg/26.9lbs.	€ 8 871
900722	<b>Pro-7a 1200</b> Energy 1200 Ws. Energy control 37.5-1200Ws (6 f-stop). Recycle time: 0.08-0.8 sec. Flash duration (t0.5): 1/12,000-1/2,200 sec. Delivered with power cable and synchro cable. Size: 34 x 17 x 24 cm / 13.5 x 6.7 x 9.5 in. Weight: 9 kg / 20 lbs.	€ 3 817
900723	<b>Pro-7a 2400</b> Energy 2400 Ws. Energy control 75-2400Ws (6 f-stop). Recycle time: 0.12-1.5 sec. Flash duration (t0.5): 1/8,000-1/1,600 sec. Delivered with power cable and synchro cable. Size: 40 x 17 x 24 cm / 15.5 x 6.7 x 9.5 in. Weight: 12 kg / 27 lbs.	€ 4 830
900739	<b>Pro-7s 2400</b> Energy 2400 Ws. Energy control 75-2400Ws (6 f-stop). Recycle time: 0.12-1.5 sec. Flash duration (t0.5): 1/5,300-1/1,600 sec. Delivered with power cable and synchro cable. Size: 35 x 17 x 24 cm / 13.8 x 6.7 x 9.5 in. Weight: 10.5 kg / 23 lbs.	€ 4 388
<b>ASSOCIATED ACCESSORIES</b> <i>Note: Bags are listed in section Accessories</i>		
100217	<b>ProGas2</b> Device to protect flash equipment from fluctuating (high) input voltage. Recommended to use when flash equipment is powered from a 230V petrol electric generator.	€ 524

# Pro-B Battery Generators

Pro-B battery generators provide studio performance on location. Just like the Pro studio generators, the Pro battery generators are characterized by extremely fast recycling and short flash duration. They are also the most durable battery packs on the market. The Pro battery generators include the Pro-B4 and the Pro-B3. Both accept the full range of ProHeads and ProRings.



## Pro-B4 Air

Two outlets, individually adjustable in 1/10 f-stop increments. Huge 11 f-stop power range. Extremely fast recycling, capable of firing up to 30 flashes per sec. Flash duration down to 1/25,000 sec and very short even at higher light output. Remarkably stable light output and color temperature over range and from flash-to-flash. Modeling light up to 1x500W or 2x250W. Built-in Profoto Air wireless sync and remote control with a range up to 300 m. Lithium-Ion battery provides up to 220 full power flashes per battery charge. Battery recharges in just 45 minutes with standard charger and can be charged while in use.

## Pro-B3 AirS

Two symmetrical/asymmetrical outlets. 8 f-stop power range in 1/10 or 1/2 f-stop increments. Fast recycling. Flash duration down to 1/7,400 sec and kept short at higher light output. Modeling lamp light max 250W (fixed). Built-in Profoto Air wireless sync (no remote control). Li-Ion (LiFe) battery provides up to 300 flashes at full power per battery charge. Battery recharges in 5 hours with standard charger.

PRODUCT #	DESCRIPTION	PRICE EURO
901084	<b>NEW Pro-B4 1000 Air</b> Energy 1000 Ws. Energy control 1-1000Ws (11 f-stop). Recycle time: 0.03-0.99 sec. Flash duration (t0.5): 1/25,000-1/2,000 sec. Delivered with battery and charger. Size: 31.5 x 18 x 25 cm / 12.4 x 7.1 x 9.8 in. Weight: 9.8 kg / 21.6 lbs. (incl. Battery)	€ 5 995
901089	<b>NEW Pro-B4 1000 Air Kit incl. 2 batteries</b> Same as 901084 but delivered with 2 batteries.	€ 6 765
900980	<b>Pro-B3 1200 AirS</b> Energy 1200 Ws. Energy control 9-1200Ws (8 f-stop). Recycle time: 0.06-1.8 sec. Flash duration (t0.5): 1/7,400-1/2,200 sec. Delivered with battery, charger and synchro cable. Size: 28 x 17 x 24 cm / 11 x 6.7 x 9.4 in. Weight: 8.8 kg / 19 lbs."	€ 3 671
ASSOCIATED ACCESSORIES		
900925	<b>NEW Li-Ion Battery for Pro-B4</b> (Quick exchange battery cassette for Pro-B4, providing 220 full power flashes)	€ 825
900926	<b>LiFe Battery including Cassette</b> (for Pro-B3. Pro-B2 and Pro-7b, providing 300 full power flashes)	€ 710
900726	<b>Pb Battery including Cassette</b> (for Pro-B3. Pro-B2 and Pro-7b)	€ 390
100304	<b>NEW Battery Quick Charger for Pro-B4</b> (Multivoltage charger for Pro-B4, recharges battery in 45 minutes, incl. mains cable)	€ 445
100218	<b>Profoto battery charger 2 A</b> (Multivoltage charger for Pro-B3, Pro-B2, Pro-7b and AcuteB2)	€ 226
340202	<b>Pro-B Protective Bag</b> (fits one Pro-B3, Pro-B2 or Pro-7b with battery)	€ 199
340208	<b>NEW Pro-B4 Protective Bag</b> (fits one Pro-B4 with battery and charger)	€ 199
900895	<b>Pro-B MainsDock</b> (Docking station to power Pro-B3, Pro-B2 and Pro-7b from mains, multivoltage.)	€ 899



# Heads for Pro & Pro-B generators

The ProHead Plus, the ProTwin and the ProRings are compatible with all Pro, Pro-B and D4 generators. The Pro-B Head Plus is exclusively compatible with Pro-B generators. All Pro heads are designed to withstand years of heavy duty use. The ProHead Plus, the Pro-B Head Plus and the ProTwin accept most of Profotos modular Light Shaping Tools. For the ProRing heads there is a number of dedicated Light Shaping Tools available.

PRODUCT #	DESCRIPTION	PRICE EURO
<b>PROHEAD</b>		
900752	<b>NEW ProHead Plus UV 250W, Zoom Reflector</b> Including Zoom reflector, flashtube, 250W modeling lamp, frosted 75mm glass cover, plastic transport cap and power handle. The head has a 5/8 inch stand adapter and a 4 m lamp cable. The new Plus version has been upgraded with improved lamphead connector, Perfect ARC flashtube, stand adapter and glass cover.	€ 1 595
900753	<b>NEW ProHead Plus UV 500W, Zoom Reflector</b> Same as 900752 but with 500W modeling light and frosted 100mm glass cover.	€ 1 639
<b>PROTWIN</b>		
900719	<b>ProTwin UV 500 W, Magnum reflector</b> Including Magnum reflector, dual flashtubes, 500W modeling lamp, frosted 100mm glass cover, plastic transport cap and power handle. The head has a 5/8 inch stand adapter and a 4 m lamp cable.	€ 2 571
<b>PRO-B HEAD</b>		
900755	<b>NEW Pro-B Head Plus UV, Disc Reflector</b> Including Disc reflector, flashtube, 100W modeling lamp, frosted 75mm glass cover and plastic transport cap. The head has a 5/8 inch stand adapter and a 4 m lamp cable. The new Plus version has been upgraded with improved lamphead connector, Perfect ARC flashtube, stand adapter and glass cover. <i>NOTE! Only for Pro battery generators, Max 100W modelling lamp.</i>	€ 829
900794	<b>NEW Pro-B Head Plus UV, Zoom Reflector</b> Same as 900755 but delivered with Zoom reflector.	€ 904
<b>PRORING</b>		
300514	<b>NEW ProRing Plus UV</b> With flashtube and UV-coated protection glass. Adjustable L-bracket fits most DSLR and medium format cameras. 4m lamp cable. The new Plus version has been upgraded with an improved lamphead connector. <i>NOTE! Max energy = 2400 Ws (9600 Ws/min). The flashtube is not user replaceable, needs to be exchanged at a Profoto service station.</i>	€ 1 298
300519	<b>NEW ProRing2 plus UV</b> With flashtube and protective steel mesh. 200W modeling light. Adjustable L-bracket fits most DSLR and medium format cameras. 4m lamp cable. The new Plus version has been upgraded with an improved lamphead connector. <i>NOTE! Max energy = 2400 Ws.</i>	€ 1 990
<b>ASSOCIATED ACCESSORIES</b> <i>Note: Glass covers and flashtubes are listed in section Accessories.</i>		
100708	<b>Transport Protective Cap</b> (for ProHead, Pro-B Head and ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€ 15
100638	<b>Metal Protective Cap</b> (for ProHead, Pro-B Head, ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€ 73
303518	<b>Pro Lamp Extension Cable 5 m</b> (for all Proheads)	€ 268
303519	<b>Pro Lamp Extension Cable 10 m</b> (for all Proheads)	€ 362
102002	<b>250 W. 120 V Halogen Mini-can E11 socket</b>	€ 23
102007	<b>500 W. 120 V Halogen Mini-can E11 socket</b>	€ 33
102014	<b>100 W. 120 V Halogen Mini-can E11 socket</b>	€ 20
100709	<b>Handle ProHead</b> (Power handle for easier head adjustment. Accessory for Pro-B Head Plus)	€ 37
100702	<b>Locking Device Kit</b> (2pcs, replacement springs to lock glass covers)	€ 8
101074	<b>NEW Stand Adapter Plus 16 mm / 5/8 inch</b> (Pro Plus standard stand adapter for all standard Pro and Acute heads)	€ 30
101079	<b>Adapter 16 mm OH</b> (5/8 inch stand adapter for all standard Pro and Acute heads)	€ 15



# D4 & Acute2 Studio Generators

D4 Studio generators offer unique versatility with four individual outlets and endless possibilities to create and save your personal settings. Their consistency in light output and color temperature has proved unbeaten. D4 Studio generators accept the full range of Profoto AcuteD4 Heads and ProHeads.

Acute2 generator are compact and versatile with 3 symmetrical/asymmetrical outlets. Acute2 has been around a long time and for a good reason. Acute2 generators accept the full range of AcuteD4 Heads.

## D4 Air

All models feature four outlets, individually adjustable in 1/10 f-stop increments. 8 f-stop power range. Unbeaten consistency in light output and color temperature over range and from flash-to-flash. Fast recycling, capable of firing up to 10 flashes per second. Optional sequence and delay settings. Modeling light up to 4x500W. Built-in Profoto Air wireless sync and remote control with a range up to 300 m. Multi voltage 100-120V / 200-240V / 50-60Hz.

## Acute2 and Acute2R

All models have 3 outlets with symmetrical/asymmetrical power distribution, adjustable over a 6 f-stop power range. Fast recycling. Modeling light up to 2x500W or 3x250W. Multivoltage 90-130V / 180-250V / 50/60Hz. The R-versions has PocketWizard 32-Channel/Quad-Triggering Receiver built-in.

PRODUCT #	DESCRIPTION	PRICE EURO
900891	<b>D4 1200 Air</b> Energy 1200Ws. Energy control 9-1200Ws (8 f-stop). Recycle time: 0.07-1.2 sec. Flash duration (t0.5): 1/7,500-1/1,000 sec. Delivered with power cable and synchro cable. Size: 29 x 20 x 28 cm / 11.6 x 8 x 11.2 in. Weight: 10 kg / 22 lbs."	€ 6 299
900892	<b>D4 2400 Air</b> Energy 2400Ws. Energy control 18-2400Ws (8 f-stop). Recycle time: 0.09-2.2 sec. Flash duration (t0.5): 1/4,500-1/600 sec. Delivered with power cable and synchro cable. Size: 32 x 20 x 28 cm / 12.8 x 8 x 11.2 in. Weight: 11.5 kg / 25 lbs."	€ 7 244
900893	<b>D4 4800 Air</b> Energy 4800Ws. Energy control 38-4800Ws (8 f-stop). Recycle time: 0.12-4.4 sec. Flash duration (t0.5): 1/2,700-1/350 sec. Delivered with power cable and synchro cable. Size: 36 x 20 x 28 cm / 14.4 x 8 x 11.2 in. Weight: 13.5 kg / 29.5 lbs."	€ 8 754
900773	<b>Acute2 1200</b> Energy 1200Ws. Energy control 37.5-1200Ws (6 f-stop). Recycle time: 0.09-1.6 sec. Flash duration (t0.5): 1/3,200-1/350 sec. Delivered with power cable and synchro cable. Size: 22 x 19 x 13 cm / 8.7 x 7.5 x 5 in. Weight: 4.1 kg / 9 lbs."	€ 1 632
900775	<b>Acute2R 1200 344 MHz</b> Same as 900773 but with Pocket Wizard receiver built-in. Compatible with 344 MHz Pocket Wizard transmitters.	€ 2 035
900811	<b>Acute2R 1200 433 MHz</b> Same as 900773 but with Pocket Wizard receiver built-in. Compatible with 433 MHz Pocket Wizard transmitters.	€ 2 035
900774	<b>Acute2 2400</b> Energy 2400Ws. Energy control 75-2400Ws (6 f-stop). Recycle time: 0.18-3.2 sec. Flash duration (t0.5): 1/1,800-1/320 sec. Delivered with power cable and synchro cable. Size: 30 x 19 x 13 cm / 11.7 x 7.5 x 5 in. Weight: 5.9 kg / 12.9 lbs"	€ 2 211
900776	<b>Acute2R 2400 344 MHz</b> Same as 900773 but with Pocket Wizard receiver built-in. Compatible with 344 MHz Pocket Wizard transmitters.	€ 2 623
900812	<b>Acute2R 2400 433 MHz.</b> Same as 900773 but with Pocket Wizard receiver built-in. Compatible with 344 MHz Pocket Wizard transmitters.	€ 2 623
<b>ASSOCIATED ACCESSORIES</b>		
100281	<b>Dust cover D4 Generator</b> (Protects generator from dust in rough environments)	€ 72
103201	<b>USB Standard Cable 5 m</b> (for wire connection to computer when using Profoto Studio software)	€ 5



# Heads for Acute2 and D4

The AcuteD4 Head, the AcuteD4 Twin and the AcuteD4 Ring are compatible with all Acute and D4 generators. The AcuteD4 heads have a compact, functional design and perform extremely consistent with the generators they are dedicated for.

*Note: Modeling lamp should correspond to local mains voltage.*

PRODUCT #	DESCRIPTION	PRICE EURO
<b>ACUTED4 HEAD</b>		
900666	<b>AcuteD4 Head UV 230 V. 250 W</b> Including Zoom reflector, flashtube, 250W/230V modeling lamp, frosted 75mm glass cover and plastic transport cap. The head has a 5/8 inch stand adapter and a 4 m lamp cable.	€ 988
900669	<b>AcuteD4 Head UV 230 V. 500 W</b> Including Zoom reflector, flashtube, 500W/230V modeling lamp, frosted 100mm glass cover and plastic transport cap. The head has a 5/8 inch stand adapter and a 4 m lamp cable.	€ 1 029
900625	<b>AcuteD4 Head UNC 230 V. 250 W</b> Same as 900966 but with uncoated glass cover that provides a colder white light (+300K).	€ 983
900618	<b>AcuteD4 Head UNC 120 V. 250 W</b> Same as 900625 but with 120V modeling lamp.	€ 983
<b>ACUTED4 TWIN</b>		
900678	<b>AcuteD4 Twin UV 230 V. 500 W</b> Including Magnum reflector, 2 flashtubes, 500W/230V modeling lamp, frosted 100mm glass cover and plastic transport cap. The head has a 5/8 inch stand adapter and a 4 m lamp cable.	€ 1 750
900617	<b>AcuteD4 Twin UNC 230 V. 500 W</b> Same as 900978 but with uncoated glass cover that provides a colder white light (+300K).	€ 1 740
900619	<b>AcuteD4 Twin UNC 120 V. 500 W</b> Same as 900617 but with 120V modeling lamp.	€ 1 740
<b>ACUTED4 RING</b>		
330513	<b>AcuteD4 Ring</b> Including flashtube and UV-coated protection glass. Adjustable L-bracket fits most DSLR and medium format cameras. 4m lamp cable. <i>NOTE! Max energy = 2400 Ws (9600 Ws/min). The flashtube is not user replaceable, needs to be exchanged at a Profoto service station.</i>	€ 823
330514	<b>AcuteD4 Ring UNC</b> Including flashtube and uncoated protection glass that provides a colder white light (+300K). Adjustable L-bracket fits most DSLR and medium format cameras. 4m lamp cable. <i>NOTE! Max energy = 2400 Ws (9600 Ws/min). The flashtube is not user replaceable, needs to be exchanged at a Profoto service station.</i>	€ 823
<b>ASSOCIATED ACCESSORIES</b> <i>Note: Glass covers and flashtubes are listed in section Accessories.</i>		
100708	<b>Transport Protective Cap</b> (for ProHead, Pro-B Head and ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€ 15
100638	<b>Metal Protective Cap</b> (for ProHead, Pro-B Head, ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€ 73
330601	<b>Lamp extension cable for AcuteD4 heads 5m</b> (for AcuteD4 Head, AcuteD4 Twin and AcuteD4 Ring)	€ 198
102002	<b>250 W. 120 V Halogen Mini-can E11 socket</b>	€ 23
102007	<b>500 W. 120 V Halogen Mini-can E11 socket</b>	€ 33
102014	<b>100 W. 120 V Halogen Mini-can E11 socket</b>	€ 20
102013	<b>250 W. 240 V Halogen Mini-can E11 socket</b>	€ 21
102015	<b>500 W. 240 V Halogen Mini-can E11 socket</b>	€ 33
<i>NOTE! For AcuteD4 heads, always use modeling lamps with voltage corresponding to local mains voltage.</i>		
102018	<b>65 W. 12 V Halogen GX/GY 6.35</b> (AcuteB Head only)	€ 12
330605	<b>Lamp adapter E11 / Gy 6.35</b> (adapter to use model light on AcuteD4 Head with AcuteB and AcuteB2 generators)	€ 51
100702	<b>Locking Device Kit</b> (2pcs, replacement springs to lock glass covers)	€ 8
101074	<b>NEW Stand Adapter Plus 16 mm / 5/8 inch</b> (Pro Plus standard stand adapter for all standard Pro and Acute heads)	€ 30
101079	<b>Adapter 16 mm OH</b> (5/8 inch stand adapter for all standard Pro and Acute heads)	€ 15



# AcuteB2 and AcuteB Head

A one outlet battery pack with a dedicated head. The combination is small and lightweight with impressive performance. Perfect to bring out on the road.

## AcuteB2

All AcuteB2 models have one outlet adjustable over 7 f-stops in 1/10 increments. A Lithium-Ion battery provides up to 200 full power flashes per charge. Profoto Air wireless sync built-in. R versions has PocketWizard 32-Channel/Quad-Triggering Receiver built-in. The dedicated AcuteB head is compact and lightweight.

PRODUCT #	DESCRIPTION	PRICE EURO
901101	<b>AcuteB2 600 AirS</b> Energy 600 Ws. Energy control 9-600Ws (7 f-stop). Recycle time: 0.08-2.0 sec. Flash duration (t0.5): 1/6,800-1/1,000 sec. Delivered with battery and charger. Size: 19 x 19 x 13 cm, 7.5 x 7.5 x 5 inch. Weight: 3.6 kg / 8.9 lbs.	€ 1 847
901102	<b>AcuteB2 600 AirS/R 344 MHz.</b> (Compatible with 344 MHz Pocket Wizard transmitters)	€ 2 151
901103	<b>AcuteB2 600 AirS/R 433 MHz.</b> (Compatible with 433 MHz Pocket Wizard transmitters)	€ 2 151
900935	<b>AcuteB Head UV</b> Including Disc reflector, flashtube, 65W modelling lamp, frosted 75mm glass cover and plastic transport cap. The head has a 5/8 inch stand adapter and a 4 m lamp cable.	€ 658
900938	<b>AcuteB Head UNC</b> Same as 900935 but with uncoated glass cover that provides a colder white light (+300K).	€ 648
900936	<b>AcuteB Head Zoom UV</b> Including Zoom reflector, flashtube, 65W modelling lamp, frosted 75mm glass cover and plastic transport cap. The head has a 5/8 inch stand adapter and a 4 m lamp cable.	€ 689
900937	<b>AcuteB Head Zoom UNC</b> Same as 900936 but with uncoated glass cover that provides a colder white light (+300K).	€ 679
ASSOCIATED ACCESSORIES <i>Note: Glass covers and flashtubes are listed in section Accessories.</i>		
901105	<b>LiFe Battery incl. Cassette</b> (Lithium-Ion battery for AcuteB2, providing 200 full power flashes)	€ 377
100290	<b>Profoto Battery Charger 1 A</b> (Standard charger for AcuteB and AcuteB2, recharges battery in 5 hours)	€ 104
100218	<b>Profoto Battery Charger 2 A</b> (Multivoltage charger for Pro-B3, Pro-B2, Pro-7b and AcuteB2)	€ 226
100303	<b>NEW Profoto Adapter 120W</b> (Adapter to power AcuteB and AcuteB2 modelling light from mains)	€ 273
100708	<b>Transport Protective Cap</b> (for ProHead, Pro-B Head and ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€ 15
100638	<b>Metal Protective Cap</b> (for ProHead, Pro-B Head, ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€ 73
102018	<b>65 W. 12 V Halogen GX/GY 6.35</b> (AcuteB Head only)	€ 12
100702	<b>Locking Device Kit</b> (2pcs, replacement springs to lock glass covers)	€ 8
101074	<b>NEW Stand Adapter Plus 16 mm / 5/8 inch</b> (Pro Plus standard stand adapter for all standard Pro and Acute heads)	€ 30
101079	<b>Adapter 16 mm OH</b> (5/8 inch stand adapter for all standard Pro and Acute heads)	€ 15
330211	<b>Bag S</b> Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit.	€ 89



# Acute2 and AcuteB2 Value Kits

Acute2 Value Kits include 1 x Acute2 generator, 2 x AcuteD4 Heads and 1 x carrying bag. Add a couple of stands and it is a complete studio lighting setup!

AcuteB2 Value Kits include 1 x AcuteB2, 1 x AcuteB Head, and 1 x carrying bag. They are available with or without a Profoto Air Sync transmitter for wireless flash trigger from the camera.

PRODUCT #	DESCRIPTION	PRICE EURO
ACUTE2 VALUE KITS		
900771	<b>Acute2 1200 Value Kit</b> (incl. 900773, 2 x 900666 and 330212)	€ 3 175
900772	<b>Acute2 2400 Value Kit</b> (incl. 900773, 2 x 900666 and 330212)	€ 3 667
900823	<b>Acute2R 1200 Value Kit EUR</b> (incl. 900811, 2 x 900666 and 330212)	€ 3 518
900824	<b>Acute2R 2400 Value Kit EUR</b> (incl. 900812, 2 x 900666 and 330212)	€ 4 018
900691	<b>Acute2 1200 Value Kit 500W</b> (incl. 900773, 2 x 900666 and 330212)	€ 3 245
ACUTE B2 VALUE KITS		
900976	<b>AcuteB2 AirS Kit UV incl. AirSync.</b> (incl. 900773, 2 x 900666 and 330212)	€ 2 342
900977	<b>AcuteB2 AirS Kit UNC incl. AirSync.</b> (incl. 900773, 2 x 900666 and 330212)	€ 2 334
900978	<b>AcuteB2 AirS Kit UV</b> (incl. 900773, 2 x 900666 and 330212)	€ 2 222
900979	<b>AcuteB2 AirS Kit UNC</b> (incl. 900773, 2 x 900666 and 330212)	€ 2 214
900974	<b>AcuteB2 AirS /433MHz Kit UNC</b> (incl. 901103, 2 x 900938 and 330211)	€ 2 472
900975	<b>AcuteB2 AirS /433MHz Kit UV</b> (incl. 901103, 2 x 900935 and 330211)	€ 2 472

# D1 Monolights

With the D1, Profoto has set a new standard for professional monolights. Boasting a generous 7 f-stop power range, action-stopping short flash durations, and color stability comparable with that of a high-end studio generator, the D1 proves that superior performance can be delivered in a compact and affordable package.



## D1 and D1 Air

All models have a wide 7f-stop power range adjustable in 1/10 or 1 f-stop increments. Bright, auto-proportional modeling light (300W halogen). Integrated reflector and umbrella holder. Compatible with more than 120 Light Shaping Tools. Can also be used at locations with no power outlets if used with Profoto's portable power source, the BatPac. The Air versions include integrated Profoto Air wireless sync and remote control with a range up to 300 m.

PRODUCT #	DESCRIPTION	PRICE EURO
901021	<b>D1 250</b>	€ 720
901022	<b>D1 Air 250</b> Energy 250 Ws. Energy control 3.9-250Ws (7 f-stop). Recycle time: 0.2-0.65 sec. Flash duration (t0.5): 1/3,700-1/1,400 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.24 kg / 4.93 lbs.	€ 844
901023	<b>D1 500</b>	€ 802
901024	<b>D1 Air 500</b> Energy 500 Ws. Energy control 7.8-500Ws (7 f-stop). Recycle time: 0.2-0.95 sec. Flash duration (t0.5): 1/2,600-1/1,000 sec. Delivered with power cable protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.44 kg / 5.38 lbs.	€ 926
901025	<b>D1 Air 1000</b> Energy 1000 Ws. Energy control 15.6-1000Ws (7 f-stop). Recycle time: 0.2-2 sec. Flash duration (t0.5): 1/1,800-1/700 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.94 kg / 6.48 lbs.	€ 1 325
ASSOCIATED ACCESSORIES <i>Note: Glass covers, flashtubes and power cords are listed in section Accessories.</i>		
901123	<b>BatPac 230V EU</b> Portable power source with two EU 230V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102501) & BatPac bag	€ 1 112
901124	<b>BatPac 120V US</b> Portable power source with two US 120V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102509) & BatPac bag	€ 1 112
330211	<b>Bag S</b> Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit.	€ 89
330212	<b>Bag M</b> Softpadded kit bag with shoulder strap, suitable for Acute2 Value Kit or D1 Studio Kit.	€ 106
330220	<b>NEW Trolley bag L</b> Large softpadded kit bag with wheels and shoulder strap, suitable for D1 3-head Studio Kits.	€ 253
100794	<b>D1 Spillkill reflector</b>	€ 77
100795	<b>Grid 5° D1</b> (fits directly on D1 monolights)	€ 81
100796	<b>Grid 10° D1</b>	€ 81
100797	<b>Grid 20° D1</b>	€ 81
101085	<b>D1 Kit Stand</b>	€ 47
100787	<b>Umbrella White small</b>	€ 72
100799	<b>Protective Cap D1. standard</b>	€ 16
103010	<b>Synchro cable. 5 m</b> (3,5 mm)	€ 15

# D1 Value Kits

D1 Value Kits are available as Basic Kits or Studio Kits with 2–3 heads. In short, there is a kit for every need. But they all have one thing in common: great value at an affordable price!



## D1 Basic Kit

D1 Basics Kits include: 2 x D1 monolights, 1 x Bag S and either Profoto Air Remote or a sync cable.

## D1 Studio Kit

D1 Studio Kits include: 2 x D1 monolights, 2 x umbrellas, 2 x D1 light stands. 1 x Bag M and either Profoto Air Remote or a sync cable.

## D1 Studio Kit 3 HEADS

D1 Studio Kits include: 3 x D1 monolights, 3 x D1 light stands. 1 x Softbox 2x3, 1 x Softbox 1.3x2, 1 D1 Grid 10°, 1 x Trolley Bag L and 1 x Profoto Air Remote.

PRODUCT #	DESCRIPTION	PRICE EURO
901060	<b>D1 Basic Kit 250/250</b> (including sync cable)	€ 1 458
901077	<b>D1 Basic Kit 250/500</b> (including sync cable)	€ 1 532
901062	<b>D1 Basic Kit 500/500</b> (including sync cable)	€ 1 623
901061	<b>D1 Basic Kit 250/250 Air</b> (including Air Remote)	€ 1 853
901078	<b>D1 Basic Kit 250/500 Air</b> (including Air Remote)	€ 1 927
901063	<b>D1 Basic Kit 500/500 Air</b> (including Air Remote)	€ 2 001
901079	<b>D1 Basic Kit 500/1000 Air</b> (including Air Remote)	€ 2 412
901064	<b>D1 Basic Kit 1000/1000 Air</b> (including Air Remote)	€ 2 810
901050	<b>D1 Studio Kit 250/250</b> (including sync cable)	€ 1 613
901052	<b>D1 Studio Kit 500/500</b> (including sync cable)	€ 1 774
901058	<b>D1 Studio Kit 250/500</b> (including sync cable)	€ 1 683
901055	<b>D1 Studio Kit 250/250 Air</b> (including sync cable. Air Remote not included)	€ 1 847
901075	<b>D1 Studio Kit 250/500 Air</b> (including sync cable. Air Remote not included)	€ 1 918
901056	<b>D1 Studio Kit 500/500 Air</b> (including sync cable. Air Remote not included)	€ 1 990
901076	<b>D1 Studio Kit 500/1000 Air</b> (including sync cable. Air Remote not included)	€ 2 391
901057	<b>D1 Studio Kit 1000/1000 Air</b> (including sync cable. Air Remote not included)	€ 2 777
901051	<b>D1 Studio Kit 250/250 Air</b> (including Air Remote)	€ 1 990
901059	<b>D1 Studio Kit 250/500 Air</b> (including Air Remote)	€ 2 061
901053	<b>D1 Studio Kit 500/500 Air</b> (including Air Remote)	€ 2 156
901074	<b>D1 Studio Kit 500/1000 Air</b> (including Air Remote)	€ 2 561
901054	<b>D1 Studio Kit 1000/1000 Air</b> (including Air Remote)	€ 2 948
901086	<b>D1 Studio Kit 250/500/500 Air</b> (including Air Remote)	€ 3 582
901087	<b>D1 Studio Kit 500/500/1000 Air</b> (including Air Remote)	€ 4 060
901088	<b>D1 Studio Kit 500/1000/1000 Air</b> (including Air Remote)	€ 4 423



# Continuous Lights

Profoto continuous lights are designed specifically to work with Profoto's wide assortment of Light Shaping Tools. The core of the range comprises ProDaylight (HMI) and ProTungsten. These units are powerful enough to be used for both video and still photography.

## ProTungsten Air

ProTungsten is a single piece halogen lamphead with an output up to 1000W. It is dimmable, silent and has Profoto Air built-in. ProTungsten is compatible with many of the existing Profoto Light Shaping Tools. There are, however, some limitations due to heat. ProTungsten can be optionally fitted with 500W or 1000W halogen lamps.

## ProDaylight Heads

ProDaylight heads are Metal Halide (HMI) base continuous light sources. They provide a flicker-free, bright, white light with daylight color temperature (5600K). They are also silent, which makes them ideal for video with sound recording. The ProDaylight heads are compatible with many of the existing line of Profoto's Light Shaping Tools. There are, however, some limitations due to heat.

## ProDaylight Ballasts

ProBallast 200/400 and ProBallast 800 are electronic, flicker-free ballasts that power the ProDaylight heads. They are robust, easy to use and completely silent.

PRODUCT #	DESCRIPTION	PRICE EURO
901161	<b>ProTungsten Air</b> Including metal transport cap, frosted glass cover and power cable. Max 1000W. Socket Type G 9.5. Color Temperature (max) 3200 K. Input voltage 100V-240V / 50/60 Hz. Dimming 100%-10 %. Size 39 x 13 x 18 cm / 15 x 5 x 7 in. Weight 2.7 kg / 6 lbs. <i>NOTE! Halogen lamp not included.</i>	€ 900
901181	<b>ProDaylight 200 Air Head</b> Including metal transport cap, frosted glass cover and UV-blocked 200 W bulb. Lamp Life Approx. 200 hours. Socket Type GZY 9.5. Color Temperature 6000 Kelvin. Dimming 100-50% and Profoto Air wireless remote control with Pro-Ballast 200/400. <i>NOTE! May only be used with UV-blocked bulbs!</i> Size: 30 x 10.2 x 16 cm / 11.8 x 4 x 6.3 in Weight: 2.5 kg / 5.5 lbs. incl. cable.	€ 1 517
901171	<b>ProDaylight 400 Air Head</b> Including metal transport cap, frosted glass cover and UV-blocked 400 W bulb. Lamp Life Approx. 750 hours. Socket Type GZZ 9.5. Color Temperature 5600 Kelvin. Dimming 100-50% and Profoto Air wireless remote control with Pro-Ballast 200/400. <i>NOTE! May only be used with UV-blocked bulbs!</i> Size: 30 x 10.2 x 16 cm / 11.8 x 4 x 6.3 in Weight: 2.5 kg / 5.5 lbs. incl. cable.	€ 1 780
901172	<b>ProDaylight 800 Air Head</b> Including metal transport cap, frosted glass cover and UV-blocked 800 W bulb. Lamp Life Approx. 750 hours. Socket Type G 22. Color Temperature 5600 Kelvin. Dimming 100-50% and Profoto Air wireless remote control support. <i>NOTE! May only be used with UV-blocked bulbs!</i> Size: 39 x 13 x 18 cm / 15 x 5 x 7 in. Weight: 2.3 kg / 5 lbs. without cable.	€ 1 836
901131	<b>ProBallast 200 / 400</b> For ProDaylight 200 and ProDaylight 400 Heads. Automatic sensing 200 or 400W flicker free output. Passive cooling. Support for Profoto Air wireless remote control with ProDaylight 200/400 heads. Multivoltage 95-265 VAC / 50/60 hz. 31.5 x 15 x 15 cm / 12.4 x 5.9 x 5.9 in. Weight: 4.4 kg / 9.7 lbs.	€ 2 305
901132	<b>ProBallast 800</b> For ProDaylight 800 Heads. Flicker free output. Passive cooling. Support for Profoto Air wireless remote control with ProDaylight 800 head. Multivoltage 95-265 VAC / 50/60 hz. 38 x 14 x 19 cm / 15 x 5.5 x 7.5 in. Weight: 6.7 kg / 14.7 lbs.	€ 3 464
901145	<b>ProDaylight 200 Air Basic Kit</b> (incl ProDaylight Air head and Ballast, 901181 & 901131)	€ 3 350
901141	<b>ProDaylight 400 Air Basic Kit</b> (incl ProDaylight Air head and Ballast, 901171 & 901131)	€ 3 596
901142	<b>ProDaylight 800 Air Basic Kit</b> (incl ProDaylight Air head and Ballast, 901172 & 901132)	€ 4 566

PRODUCT #	DESCRIPTION	PRICE EURO
ACCESSORIES FOR CONTINUOUS LIGHTS		
282017	<b>ProTungsten lamp 500W EHC 110V G9.5</b> (for US and markets with 110-120V mains voltage)	€ 39
282016	<b>ProTungsten lamp 500W 240V G9.5</b> (for EU and markets with 220-240V mains voltage)	€ 51
282015	<b>ProTungsten lamp 1000W FEL 110V G9.5</b> (for US and markets with 110-120V mains voltage)	€ 43
282014	<b>ProTungsten lamp 1000W FEP 240V G9.5</b>	€ 30
282023	<b>ProDaylight bulb 200W HR UV-C</b>	€ 261
282020	<b>ProDaylight bulb 400W HR UV-C</b>	€ 272
282021	<b>ProDaylight bulb 800W HR UV-C</b>	€ 261
101542	<b>NEW Glass Cover Frosted w. Ring 70 mm</b> (for ProDaylight and ProTungsten)	€ 169
101543	<b>NEW Glass Cover Clear w. Ring 70 mm</b> (for ProDaylight and ProTungsten)	€ 159
283522	<b>ProDaylight 200/400 Extension Cable 5m</b>	€ 261
283521	<b>ProDaylight 800 Extension Cable 5m</b>	€ 282
100638	<b>Metal Transport Cap for both ProDaylight and ProTungsten</b>	€ 73



# Profoto Air system – Wireless sync and remote control

Profoto Air is the fastest wireless sync system available on the market. It has a range of up to 300 meters and can be used with all major camera and flash brands. With the Air camera release cables, cameras can be remotely triggered with an Air Sync or Air Remote unit. Cables are available for most camera brands. When used with Profoto flashes, Profoto Air lets you remote control the entire lighting setup from your camera or laptop, using the Profoto Air Remote or the Profoto Studio solutions.

PRODUCT #	DESCRIPTION	PRICE EURO
<b>PROFOTO AIR – CAMERA MOUNTED TRIGGERS AND REMOTE CONTROLS</b>		
901032	<b>Profoto Air Sync</b> The Profoto Air Remote is a camera hotshoe mounted sync transceiver. It can be used as remote trigger for flashes built-in Air.	€ 161
901031	<b>Profoto Air Remote</b> The Profoto Air Remote is a camera hotshoe mounted sync transceiver. It can be used as remote trigger and remote control for Profoto flashes with built-in Air.	€ 206
901035	<b>Profoto Air Sync Kit. incl.2 Profoto Air Sync</b> Starter Kit with 2 Air Sync and cables. The Kit includes everything needed to use Air Sync as remote trigger for any major flash brand.	€ 299
<b>PROFOTO AIR – WIRELESS STUDIO SOFTWARE SOLUTIONS</b>		
901034	<b>Profoto Air USB</b> USB Dongle required for wireless MAC/PC control of Profoto flashes with built-in Air. Used with any of the available Studio softwares that are free to download from <a href="http://www.profoto.com">www.profoto.com</a>	€ 362
Software	<b>Profoto Studio 3 for Mac</b>	Free
Software	<b>Profoto Studio 3 for Windows PC</b>	Free
Software	<b>Profoto Studio Plug-in for Capture One Pro 6</b> (for Mac only)	Free
<b>AIR SYNC CABLES</b>		
103011	<b>Male 3.5 mm miniphone to PC</b>	€ 6
103016	<b>1/4 Phono male to 3.5mm miniphone male</b>	€ 7
103018	<b>Sync adapter 1/4 Phono male to miniphone</b>	€ 7
103020	<b>Male 3.5 mm miniphone to miniphone. 30 cm</b>	€ 7
<b>AIR CAMERA RELEASE CABLES</b>		
103012	<b>Male 3.5 mm miniphone to Canon remote connector</b>	€ 23
103023	<b>Male 3.5 mm miniphone to Canon remote connector. Pre-Release</b>	€ 47
103013	<b>Male 3.5 mm miniphone to Nikon remote connector</b>	€ 23
103024	<b>Male 3.5 mm miniphone to Nikon remote connector. Pre-Release</b>	€ 62
103014	<b>Male 3.5 mm miniphone to Hasselblad remote connector</b>	€ 50
103025	<b>Male 3.5 mm miniphone to Hasselblad remote connector. Pre-Release</b>	€ 38
103026	<b>Male 3.5 mm miniphone to Olympus remote connector</b>	€ 43
103027	<b>Male 3.5 mm miniphone to Olympus remote connector. Pre-Release</b>	€ 47
103028	<b>Male 3.5 mm miniphone to Phase One remote connector</b>	€ 76
103029	<b>Male 3.5 mm miniphone to Sony remote connector</b>	€ 43
<b>OTHER</b>		
103019	<b>Plastic Hotshoe Grip</b>	€ 6



# Hard Reflectors

Profoto Hard Reflectors come in many different sizes and shapes to provide a hard or soft light or anything in between. With a few restrictions they all fit on most Profoto heads, including ProHeads, AcuteD4 Heads, D1 monolights and Continuous lights.

PRODUCT #	DESCRIPTION	PRICE EURO
<b>ZOOM REFLECTOR</b>		
100785	<b>Zoom Reflector</b> (Profoto standard reflector) The Zoom Reflector is one of the most versatile reflectors out there. In short, it can provide light characteristics of a wide angle and a normal reflector and everything in between. Can be used in combination with umbrellas to reduce stray light or be fitted with an optional grid. The Zoom Reflector is the standard reflector delivered with Profoto Acute/D4 Heads and ProHeads.	€ 151
100610	<b>Classic Zoom Reflector</b> The original Zoom Reflector. Shares the characteristics of 100785 but grids cannot be fitted directly on the reflector.	€ 106
<b>ACCESSORIES FOR ZOOM REFLECTOR</b>		
100786	<b>Zoom-Cap</b> (for 100785)	€ 22
100671	<b>Barndoors for Zoom Reflector</b> (for both 100710 and 100785)	€ 177
900649	<b>Grid &amp; Filterholder</b> (for mounting grids on 100610, kit includes 100604 and 100619)	€ 167
100604	<b>Filter Cassette</b>	€ 41
100619	<b>Diffusions Filter 19x19 cm</b>	€ 9
100651	<b>Snoot for 900649</b>	€ 120
100606	<b>Grid 20°, 180 mm</b> (fitted directly on 100785 or on 900649)	€ 93
100605	<b>Grid 10°, 180 mm</b> (fitted directly on 100785 or on 900649)	€ 104
100646	<b>Grid 5°, 180 mm</b> (fitted directly on 100785 or on 900649)	€ 135
900362	<b>Grid/Grid &amp; Filterholder Kit</b> (including 900649, 100605, 100606 and 100646)	€ 450
900849	<b>Grid Kit 5, 10 &amp; 20°</b> (including bag 100298)	€ 314
<b>MAGNUM, NARROWBEAM AND TELEZOOM REFLECTORS</b>		
100624	<b>Magnum Reflector</b> The Magnum Reflector has a normal beam spread but increases the output with 1 f-stop. The light that is created is strong yet smooth, and although this is not a true focusing reflector, zooming it across the focal point does create interesting lighting effects.	€ 236
100617	<b>NarrowBeam Reflector</b> The Narrow Beam Reflector gives the most focused light output of all Profoto reflectors (32° lightspread). In other words, the photographer has very precise control of the direction of the light and can create some truly interesting effects with the extreme hot spot and the sharp light fall-off.	€ 240
100713	<b>NarrowBeam Travel reflector</b>	€ 177
100712	<b>TeleZoom Reflector</b> Even though it shares its basic lighting characteristics with the Zoom Reflector, the TeleZoom Reflector is unique in that it allows the photographer to adjust the light spread from 20° at head position 5 to 30° at head position 10. Even illumination and high output add to the versatility of this unique unit.	€ 513
<b>ACCESSORIES FOR MAGNUM, NARROWBEAM AND TELEZOOM REFLECTORS</b>		
100618	<b>Grid 10°, 337mm</b> (fits Magnum, TeleZoom and Narrow Beam Reflector, not for Narrow Beam Travel reflector)	€ 194
100670	<b>ProTube, 337 mm</b> (fits Magnum, TeleZoom and Narrow Beam Reflector, not for Narrow Beam Travel reflector)	€ 608
100715	<b>Barndoors, 337 mm</b> (fits Magnum, TeleZoom and Narrow Beam Reflector, not for Narrow Beam Travel reflector)	€ 629

PRODUCT #	DESCRIPTION	PRICE EURO
	<b>WIDEZOOM REFLECTOR AND ACCESSORIES</b>	
100711	<b>WideZoom Reflector</b> The versatile WideZoom Reflector has a light spread ranging from 40° to 70°, depending on the head position, and provides even illumination even at short distances. Basically a modern, zoomable version of the Magnum reflector!	€ 373
100636	<b>Grid 10°, 280 mm</b> (for WideZoom Reflector)	€ 194
	<b>SOFTLIGHT REFLECTOR "BEAUTY DISH"</b>	
100608	<b>SoftLight Reflector White (65°)</b> The Softlight Reflector White, nicknamed The Beauty Dish, gives a soft yet directional light that is often used to provide character lighting in portrait and beauty photography. But the reflector is superb for a wide variety of uses, ranging all the way from product photography to interior shoots. It is also an interesting alternative to the more widely used softboxes.	€ 279
100607	<b>SoftLight Reflector Silver (26°)</b> The Softlight Reflector Silver gives a focused light, while at the same time providing soft shadow definition, thanks to its large reflecting area. It is especially suitable for lighting materials or subjects in which the structure should be emphasized. It can also be used to give beauty and fashion pictures a crisp, "sunny" look.	€ 279
901183	<b>Softlight Kit</b> (incl. 100608, 100609 and 100714)	€ 525
	<b>ACCESSORIES FOR SOFTLIGHT REFLECTOR</b>	
100609	<b>Grid 25°, 515 mm</b> (for Softlight Reflector)	€ 251
100704	<b>Glass for Softlight Reflector</b> (frosted glass sheet to replace deflector)	€ 63
100714	<b>Diffusor for Softlight Reflector</b>	€ 41
	<b>DISC REFLECTOR</b>	
100654	<b>Disc Reflector</b> The Disc Reflector is mostly used in combination with an umbrella to reduce spill light.	€ 75
	<b>7" GRID REFLECTOR AND ACCESSORIES</b>	
100705	<b>7" Reflector</b>	€ 120
100634	<b>Grid 10°</b>	€ 94
100635	<b>Grid 5°</b>	€ 107



## Ringflash Reflectors

Ring flash reflectors are dedicated reflectors for the ProRing heads and AcuteD4 Ring. They create a softer, shadow free "beauty effect" by enlarging the ring flash area. Ideal for lighting people with a direct yet soft light from the lens position, which results in a unique, surrounding illumination.

PRODUCT #	DESCRIPTION	PRICE EURO
100642	<b>Softlight Reflector</b> (for Profoto Ringflashes)	€ 293
100643	<b>Close-Up Reflector</b> (for Profoto Ringflashes)	€ 293
100717	<b>WideSoft Reflector</b> (for Profoto Ringflashes)	€ 293
100784	<b>Diffusor</b> (for Profoto Ringflashes)	€ 188

# Softboxes

Softboxes are one of the most commonly used light shaping accessories due to their versatility. Profoto offers two softbox ranges, RFi and HR. RFi Softboxes offer an extensive range of accessories and speedring adapters for more than 20 different flash brands. The heavy duty HR Softboxes offer asymmetric versions and are heat resistant to make them usable with Continuous Lights.



## RFi softboxes

The new line of RFi softboxes come in all sizes and shapes. To ensure full control for the photographer, they have a deeper shape, a recessed front, double-layered diffusers and a highly reflective silver interior. Optional accessories are available for even more precise light shaping.



## RFi Softgrids, Stripmasks and Flat front diffusers

All RFi softboxes have a recessed front that allows you to attach a Softgrid. The Softgrid reduces the light spread to 50°. In other words, the Softgrid creates a more directed light and eliminates a large amount of spill light, allowing you to shape the light with even more precision. Other available accessories are stripmasks and flat front diffusers. For more info check [www.profoto.com](http://www.profoto.com).



## RFi Speedrings

The new line of RFi speedring adaptors makes the RFi softboxes compatible with well over 20 different flash brands, ranging all the way from speedlights to high-end studio strobes. Even if you own flashes from many different manufacturers, you now only need one line of Softboxes. The speedring adaptors are designed so that the RFi softboxes can be rotated 360°, allowing the photographer to adjust and shape the light on the fly. The color codes make the softboxes easy to assemble and disassemble. All speedring adaptors are robust and painted with heat resistant lacquer.

PRODUCT #	DESCRIPTION	PRICE EURO
254701	<b>NEW</b> Softbox RFi 1x1,3' (30x40cm)	€ 86
254702	<b>NEW</b> Softbox RFi 1,3x2' (40x60cm)	€ 111
254703	<b>NEW</b> Softbox RFi 2x3' (60x90cm)	€ 186
254704	<b>NEW</b> Softbox RFi 3x4' (90x120cm)	€ 245
254705	<b>NEW</b> Softbox RFi 4x6' (120x180cm)	€ 366
254706	<b>NEW</b> Softbox RFi 2x2' (60x60cm)	€ 152
254707	<b>NEW</b> Softbox RFi 3x3' (90x90cm)	€ 198
254708	<b>NEW</b> Softbox RFi 1x3' (30x90cm)	€ 152
254709	<b>NEW</b> Softbox RFi 1x4' (30x120cm)	€ 172
254710	<b>NEW</b> Softbox RFi 1x6' (30x180cm)	€ 249
254711	<b>NEW</b> Softbox RFi 3' Octa (90cm)	€ 180
254712	<b>NEW</b> Softbox RFi 5' Octa (150cm)	€ 275
901182	<b>NEW</b> Softbox Kit (RFi 60x90 cm / 2x3', Profoto Speedring and Softgrid, Printed box)	€ 324
254620	<b>NEW</b> RFi Softgrid 50° 1x1,3'	€ 59
254621	<b>NEW</b> RFi Softgrid 50° 1,3x2'	€ 68
254622	<b>NEW</b> RFi Softgrid 50° 2x3'	€ 91
254623	<b>NEW</b> RFi Softgrid 50° 3x4'	€ 186
254624	<b>NEW</b> RFi Softgrid 50° 4x6'	€ 361
254625	<b>NEW</b> RFi Softgrid 50° 2x2'	€ 71
254626	<b>NEW</b> RFi Softgrid 50° 3x3'	€ 129
254627	<b>NEW</b> RFi Softgrid 50° 1x3'	€ 64
254628	<b>NEW</b> RFi Softgrid 50° 1x4'	€ 85
254629	<b>NEW</b> RFi Softgrid 50° 1x6'	€ 123
254630	<b>NEW</b> RFi Softgrid 50° 3' Octa	€ 134
254631	<b>NEW</b> RFi Softgrid 50° 5' Octa	€ 361



PRODUCT #		DESCRIPTION	PRICE EURO
254632	<b>NEW</b>	RFi Stripmask 7cm 1x3'	€ 38
254633	<b>NEW</b>	RFi Stripmask 7cm 1x4'	€ 42
254634	<b>NEW</b>	RFi Stripmask 7cm 1x6'	€ 58
254635	<b>NEW</b>	RFi Flat Front Diffuser 1x1,3'	€ 23
254636	<b>NEW</b>	RFi Flat Front Diffuser 1,3x2'	€ 26
254637	<b>NEW</b>	RFi Flat Front Diffuser 2x3'	€ 35
254638	<b>NEW</b>	RFi Flat Front Diffuser 3x4'	€ 46
254639	<b>NEW</b>	RFi Flat Front Diffuser 4x6'	€ 55
254640	<b>NEW</b>	RFi Flat Front Diffuser 2x2'	€ 27
254641	<b>NEW</b>	RFi Flat Front Diffuser 3x3'	€ 42
100501	<b>NEW</b>	RFi speedring adapter Profoto	€ 96
100502	<b>NEW</b>	RFi speedring adapter Nikon / Canon	€ 96
100503	<b>NEW</b>	RFi speedring adapter Elinchrom	€ 96
100504	<b>NEW</b>	RFi speedring adapter Bowens / Calumet	€ 77
100505	<b>NEW</b>	RFi speedring adapter AlienBees/White Lightning X	€ 77
100506	<b>NEW</b>	RFi speedring adapter Hensel Expert	€ 96
100507	<b>NEW</b>	RFi speedring adapter Broncolor Pulso	€ 77
100508	<b>NEW</b>	RFi speedring adapter Multiblitz Profilux	€ 77
100509	<b>NEW</b>	RFi speedring adapter Photogenic	€ 77
100510	<b>NEW</b>	RFi speedring adapter Speedotron	€ 96
100511	<b>NEW</b>	RFi speedring adapter Comet	€ 96
100512	<b>NEW</b>	RFi speedr. Lumedyne/Quantum/Sunpak/Norman	€ 77
100513	<b>NEW</b>	RFi speedring adapter Dynalite 2	€ 81
100514	<b>NEW</b>	RFi speedring adapter Sunstar	€ 96
100515	<b>NEW</b>	RFi speedring adapter Broncolor Visatec	€ 96
100516	<b>NEW</b>	RFi speedring adapter Novatron 2	€ 111
100517	<b>NEW</b>	RFi speedring adapter Multiblitz Varilux	€ 96
100518	<b>NEW</b>	RFi speedring adapter Photona	€ 77
100519	<b>NEW</b>	RFi speedring adapter Propet A	€ 96



## HR Softboxes & Lanterns

Profoto HR Softboxes are extremely durable, heat resistant softboxes that can be used with both flash and continuous light. Ideal for HD video shoots as well as conventional photo shoots. Available with recessed front (RF) and optional Softgrids. The accessories and speedrings fit both HR and discontinued RF Softboxes.

PRODUCT #	DESCRIPTION	PRICE EURO
100481	<b>HR Softbox 1.3 x 1.8' RF</b> (40 x 55 cm)	€ 324
100482	<b>HR Softbox 2 x 3' RF</b> (60 x 90 cm)	€ 334
100483	<b>HR Softbox 1.5 x 4' RF</b> (45 x 120 cm)	€ 419
100484	<b>HR Softbox 3 x 4' RF</b> (90 x 120 cm)	€ 457
100485	<b>HR Softbox 2.7 x 2.7' RF</b> (80 x 80 cm)	€ 381
100486	<b>HR Softbox 4 x 6' RF</b> (120 x 180 cm)	€ 610
100487	<b>HR Lantern 1.7' FLAT</b> (51 x 30 cm)	€ 267
100488	<b>HR Lantern 3' FLAT</b> (89 x 43 cm)	€ 296
100489	<b>HR Lantern 4' FLAT</b> (122 x 48 cm)	€ 439
100490	<b>HR Softbox 1.5 x 3.5' RF-a. Asymmetric</b>	€ 477
100491	<b>HR Softbox 2.3 x 5' RF-a. Asymmetric</b>	€ 599
100492	<b>HR Softbox Octa 3'</b>	€ 572
100493	<b>HR Softbox Octa 5'</b>	€ 724
100494	<b>HR Softbox Octa 7'</b>	€ 991
254538	<b>Flat front diff. 2x3'</b>	€ 65
254539	<b>Flat front diff. 3x4'</b>	€ 79
254540	<b>Flat front diff. 4x6'</b>	€ 104
254549	<b>Strip Mask 7cm for 2x3'</b>	€ 107
254550	<b>Strip Mask 15cm for 2x3'</b>	€ 107
254551	<b>Strip Mask 10cm for 3x4'</b>	€ 125
254552	<b>Strip Mask 35cm for 3x4'</b>	€ 125
254560	<b>Softgrid 30° for Softbox 2x3'</b>	€ 429
254555	<b>Softgrid 40° for Softbox 2x3'</b>	€ 279
254556	<b>Grid Kit 40° for Softbox 3x4', incl support rod</b>	€ 569
254557	<b>Grid Kit 40° for Softbox 4x6', incl support rod</b>	€ 699
254553	<b>Dia Mask 80cm for 3x4'</b>	€ 125
100660	<b>Softbox Mounting Ring for Profoto</b>	€ 134
100721	<b>Speedring for Bron Pulso</b>	€ 72
100722	<b>Speedring for Balcar</b>	€ 72
100723	<b>Speedring for Bowens</b>	€ 72
100724	<b>Speedring for Elinchrom</b>	€ 72
100725	<b>Speedring for Multiblitz Profilux</b>	€ 72
100726	<b>Speedring for Multiblitz Variolite</b>	€ 72
100727	<b>Speedring for Hensel Expert</b>	€ 72
100732	<b>Speedring for Bron Visatec</b>	€ 72
100633	<b>Adapter Plate 144 mm diameter.</b>	€ 93

# Umbrellas

All umbrellas can be mounted directly on any Profoto flash head or monolight. The silver versions can also be used with Profoto continuous lights, if they are used in combination with the Cine Reflector or the Stand Adapter for Umbrella XL.



## White Umbrellas

The White Umbrella creates an even, diffused light with soft shadows. The closer to the subject the umbrella is placed, the softer the shadows will be.



## Silver Umbrellas

The Silver Umbrellas creates a focused light with soft shadows. Suitable for bringing out structural details in materials or if a higher light output is needed.



## Translucent Umbrellas

The Translucent Umbrella creates a diffused light with a bright core. The light is easily adjusted by changing the umbrella's distance to the lamp head.



## Umbrella XL

The Umbrella XL offer the same benefits as the standard umbrellas and then some more. For instance, they have a deeper shape, which results in better control of the light and improved zoom functionality for the XL Silver. There is also a front diffusor available, which practically turns the Umbrella XL White and Umbrella XL Silver into large Octa Softboxes.

PRODUCT #	DESCRIPTION	PRICE EURO
100611	<b>Umbrella White Small</b> (0.85 m diameter)	€ 83
100612	<b>Umbrella White Medium</b> (1.05 m diameter)	€ 104
100719	<b>Umbrella White Large</b> (1.30 m diameter)	€ 210
100615	<b>Umbrella Silver Small</b> (0.85 m diameter)	€ 120
100616	<b>Umbrella Silver Medium</b> (1.05 m diameter)	€ 148
100720	<b>Umbrella Silver Large</b> (1.30 m diameter)	€ 265
100613	<b>Umbrella Translucent Small</b> (0.85 m diameter)	€ 68
100614	<b>Umbrella Translucent Medium</b> (1.05 m diameter)	€ 77
100326	<b>Umbrella XL White</b> (1.65 m diameter)	€ 292
100327	<b>Umbrella XL Silver</b> (1.65 m diameter)	€ 340
100328	<b>Umbrella XL Translucent</b> (1.65 m diameter)	€ 194
254651	<b>Front Diffusor for Umbrella XL</b> (-1.5 f-stop, Turns Umbrella XL White and Silver into large Octa softboxes)	€ 96
101099	<b>Stand adapter for Umbrella XL</b>	€ 68



# Giant Reflectors & Giants

The combination of soft shadows and distinct highlights have made the Profoto Giant Reflectors and Giants very popular with leading fashion photographers. The size of the reflectors is big enough to illuminate a whole person or, for the larger sizes, even a group of people. They all fit on most Profoto heads, including ProHeads, AcuteD4 Heads, D1 monolights and Continuous lights.

## Giant Reflectors

The Giant Reflectors are truly parabolic, focusable silver reflectors in three sizes: 180 cm (6 ft.), 240 cm (8 ft.) and 300 cm (10 ft.). The parabolic shape boosts light output and gives a distinctly directed, yet soft light. All models come with a designed, semi-hard bag holding the folded reflector and the accessories.

## Giant Silver & White

Both Giant Silver & Giant White come in two sizes: 150 cm (5 ft.) and 210 cm (7 ft.). The Silver Giants can be used as a focusable and very large reflector in the studio or on location. The White Giants creates soft highlights similar to a large Octa Softbox. Both the Silver and White versions are delivered in a designed semi-hard storage bag holding the folded reflector and the accessories.

PRODUCT #	DESCRIPTION	PRICE EURO
GIANT REFLECTORS		
100318	<b>Profoto Giant Reflector 180</b>	€ 2 624
100319	<b>Profoto Giant Reflector 240</b>	€ 3 884
100320	<b>Profoto Giant Reflector 300</b>	€ 5 144
GIANT SILVER & WHITE		
100316	<b>Profoto Giant Silver 150</b>	€ 1 185
100317	<b>Profoto Giant Silver 210</b>	€ 1 469
100314	<b>Profoto Giant White 150</b>	€ 1 070
100315	<b>Profoto Giant White 210</b>	€ 1 185
ASSOCIATED ACCESSORIES		
254585	<b>Diffusor 1 f-stop Giant Reflector 180</b>	€ 169
254531	<b>Diffusor 1 f-stop Giant Reflector 240</b>	€ 256
254587	<b>Diffusor 1 f-stop Giant Reflector 300</b>	€ 380
254586	<b>Diffusor 1/3 f-stop Giant Reflector 180</b>	€ 278
254533	<b>Diffusor 1/3 f-stop Giant Reflector 240</b>	€ 403
254588	<b>Diffusor 1/3 f-stop Giant Reflector 300</b>	€ 440
254518	<b>Diffusor 1 f-stop Giant 150</b>	€ 153
254519	<b>Diffusor 1 f-stop Giant 210</b>	€ 205
254522	<b>Diffusor 1/3 f-stop Giant 150</b>	€ 218
254523	<b>Diffusor 1/3 f-stop Giant 210</b>	€ 294
254566	<b>RingMask</b> (for Giant 210)	€ 287
254581	<b>Bag for Giant 150</b>	€ 135
254582	<b>Bag for Giant Reflector 180 &amp; Giant 210</b>	€ 209
254583	<b>Bag for Giant Reflector 240</b>	€ 310
254584	<b>Bag for Giant Reflector 300</b>	€ 366



# Cine Reflector

The Cine Reflector is not just a reflector, it is a reflector system. Together with the different available lenses it provides unparalleled creative control. When using the Cine Reflector with lenses, we recommend using a clear glass cover on the head. The Cine Reflector can be used with most Profoto heads but is especially optimized for Profoto Continuous Lights.

PRODUCT #	DESCRIPTION	PRICE EURO
901170	<b>Cine Reflector LITE</b> (w/o stand attachment)	€ 1 076
901175	<b>Cine Reflector</b> (with stand attachment)	€ 1 364
ACCESSORIES FOR CINE REFLECTOR		
100463	<b>Barndoors for Cine Reflector and Zoom Reflector</b>	€ 350
100465	<b>Fresnel Lens. Cine Reflector</b> Optimized for both photography and video application to create diffused and evenly distributed light. Can be used with both PAR and Open Face reflectors. 44° beam with PAR insert. 71° beam at Open Face reflector.	€ 165
100466	<b>Super Wide Lens. Cine Reflector</b> Provides a 66° beam spread when used with PAR insert and clear glass cover	€ 155
100467	<b>Narrow Spot Lens. Cine Reflector</b> Provides 9° beam spread in oval shape when used with PAR insert and clear glass cover	€ 155
100468	<b>Medium Flood Lens. Cine Reflector</b> Provides 20° beam spread when used with PAR insert and clear glass cover.	€ 155
100469	<b>Wide Flood Lens. Cine Reflector</b> Provides 60° beam spread when used with PAR insert and clear glass cover.	€ 155
100475	<b>Diffusion filter. Cine Reflector</b>	€ 155
100474	<b>5500K Dichroic Color filter. Cine Reflector</b>	€ 603
100473	<b>3200K Dichroic Color filter. Cine Reflector</b>	€ 603
901180	<b>Scrim Spare Kit. Set of 4 scrims</b>	€ 84
100201	<b>Lens bag. Cine Reflector Production Lenses</b>	€ 117
100202	<b>Scrim bag. Cine Reflector</b>	€ 59
901177	<b>Production Lens Kit for Cine Reflector.</b> (incl. 100465, 66, 67, 68, 69 and 100201)	€ 903
901178	<b>Scrim Kit for Cine Reflector</b> (incl. 100464,70,71,72,78 and 100202)	€ 177
CINE REFLECTOR VALUE KITS		
901184	<b>Cine Reflector LITE Video Production Kit</b> (incl. 901170, 901177, 100463 and 100475)	€ 2 246
901176	<b>Cine Reflector Video Production Kit.</b> (incl. 901175, 100463, 100475, 901177,901178)	€ 2 720

# Other Light Shaping Tools

Special application tools that fit directly on most Profoto standard heads.

## Pro-Box



The Pro-Box is primarily used for lighting small objects with highly reflective surfaces. The Pro-Box lighting is even all the way out to the edges, which means that several boxes can be stacked together to create a larger source. Table stand included for vertical support.

## ProGlobe



The ProGlobe gives a surrounding light, similar to a bare bulb effect or, if mounted high up, a street lamp. Can be used in combination with a Softbox 3x4' or Softbox 4x6' (with the internal diffuser removed) to create an even more soft and even lightspread. Not for Continuous Lights.

## HardBox



As a counterpart to the widely used softboxes, the Hardbox is a unique Light Shaping Tool that reduces the size of the light source to a minimum and creates an extremely crisp, directed light. In addition, the HardBox efficiently eliminates stray light, which results in optimal control even in the most narrow of studios. Can be used with the 5°, 10° or 20° Grid or the Barn Doors for the Zoom Reflector. The Hardbox fits directly on all Profoto flash heads and monolights.

## ProFresnel Spot



The ProFresnel Spot creates a directional, concentrated light that can easily be adjusted by moving the lamp head inside the spotlight. The large Fresnel glass provides many possibilities, including lighting effects reminiscent of the classic Hollywood portraits of the Thirties and Forties. 300 mm lens diameter and 42° light distribution.

## Fresnel small



The Fresnel Small projects a clean and crisp beam of light, similar to natural sunlight. The vented yet compact housing comes with a 150 mm (6") glass Fresnel lens, an adjustable beam-angle control and a tilting light stand mount. Filters can be attached to the front of the Fresnel for creative lighting effects. The Fresnel Small attaches to any Profoto flash head without requiring an adapter. It is also very easy to adjust with its built-in iris control.

## Spot small



The Spot Small is a high-quality, optical focusing spot that can be used to project patterns or masked shapes onto a subject or background. Ideal for theatrical lighting effects, for instance! The Spot Small projects a spot as small as 5 cm diameter from a distance of 0.9 m, and attaches to any Profoto flash head or monolight. Accepts M size (66 mm) gobos.

PRODUCT #	DESCRIPTION	PRICE EURO
900561	<b>Pro-Box</b>	€ 668
100673	<b>ProGlobe Kit</b> (including SpeedRing 100660)	€ 459
100674	<b>ProGlobe only</b> (w/o SpeedRing)	€ 247
100718	<b>Hardbox</b>	€ 729
100706	<b>ProFresnel Spot</b>	€ 1 469
100707	<b>Barndoor for ProFresnel</b>	€ 314
100789	<b>Fresnel small</b>	€ 1 007
100790	<b>Spot small</b>	€ 660
100791	<b>Gobos for Spot small</b> (Kit with M-size gobos)	€ 177

# Special application heads

StripLights, spots and StillLights are useful tools for creating special effects for fashion-, still life- and jewelry photography, to name just a few examples. Even stage lighting effects can be created! The special heads are designed to be used with the Acute, the D4 and the Pro generators.



## StripLights

The StripLights are favored by many beauty-, people-, still life-, car- and furniture photographers. The StripLights create sharp outlines and shadows with soft edges. In addition, they create a perfectly even illumination with no visible light fall-off. They can also be stacked together to create larger light sources. The StripLights have an integrated stand adapter and can be used with either the standard frosted plexiglas cover or the optional clear front cover for faster light fall-off and more character. Depending on the size of the StripLight, they come with either one, two or three flashtubes. The fact that each flashtube has its own power cable allows for distinctive graduation control when working with the two larger units. All three StripLights offer fully proportional modeling lights and optional Barn Doors for stray light control. More info is available at [www.profoto.com](http://www.profoto.com)

*Note: 120V versions are compatible with Pro generators on all markets. 230V versions are compatible with Acute2 and D4 on 230V markets. The only difference is the modelling lamps so the version can be easily switched at any time.*

PRODUCT #	DESCRIPTION	PRICE EURO
100735	<b>StripLight Small 120 V</b> (WxL; 10 x 70 cm / 3.9 x 27.5 in.)	€ 2 519
100765	<b>StripLight Small 230 V</b> (WxL; 10 x 70 cm / 3.9 x 27.5 in.)	€ 2 519
100736	<b>StripLight Medium 120 V</b> (WxL; 10 x 130 cm / 3.9 x 51.2 in.)	€ 3 849
100766	<b>StripLight Medium 230 V</b> (WxL; 10 x 130 cm / 3.9 x 51.2 in.)	€ 3 849
100737	<b>StripLight Large 120 V</b> (WxL; 10 x 190 cm / 3.9 x 74.8 in.)	€ 5 039
100767	<b>StripLight Large 230 V</b> (WxL; 10 x 190 cm / 3.9 x 74.8 in.)	€ 5 039
100742	<b>BarnDoor for StripLight Small</b>	€ 419
100751	<b>Diffusing cover for StripLight Small</b> (Standard)	€ 263
100752	<b>Clear cover for StripLight Small</b> (Optional)	€ 299
100780	<b>Air Case for StripLight Small</b>	€ 803
100743	<b>BarnDoor for StripLight Medium</b>	€ 524
100753	<b>Diffusing cover for StripLight Medium</b> (Standard)	€ 319
100754	<b>Clear cover for StripLight Medium</b> (Optional)	€ 373
100781	<b>Air Case for StripLight Medium</b>	€ 1 049
100757	<b>BarnDoor for StripLight Large</b>	€ 524
100755	<b>Diffusing cover for StripLight Large</b> (Standard)	€ 346
100756	<b>Clear cover for StripLight Large</b> (Optional)	€ 419
100782	<b>Air Case for StripLight Large</b>	€ 1 469
101578	<b>Flashtube for StripLight &amp; StillLight</b>	€ 828
102073	<b>Modelling lamp 12 V. 20 W G4</b>	€ 4
102074	<b>Modelling lamp 24 V. 20 W G4</b>	€ 4



## FresnelSpot

The FresnelSpot is a spotlight that creates a light with sharp, deep shadows, highly saturated color and a distinct movie feel. When used from a shorter distance, the shadows become more open and the light fall-off is reduced. With a large 175 mm diameter Fresnel lens, the FresnelSpot offers lighting adjustments between 10° and 50°. The unit also has integrated support for filters and masks. The Profoto FresnelSpot comes with a 300 watt modeling light and can handle up to 2400Ws through its incorporated flashtube.



## MultiSpot

The MultiSpot creates a small and handy directional light, perfectly suited for still life-, food- and beauty photography. With its sharp and easy-to-control light beam, it is also the optimal tool for creating accent or trans-illumination light with deep shadows and rich color saturation. The MultiSpot comes with a 300W modeling light and can handle up to 1200Ws through its incorporated flashtube.

*Note: 120V versions are compatible with Pro generators on all markets. 230V versions are compatible with Acute2 and D4 on 230V markets. The only difference is the modelling lamps so the version can be easily switched at any time.*

PRODUCT #	DESCRIPTION	PRICE EURO
	FRESNELSPOT	
100741	<b>FresnelSpot 120 V</b>	€ 4 724
100771	<b>FresnelSpot 230 V</b>	€ 4 724
100758	<b>BarnDoor for FresnelSpot</b>	€ 314
100762	<b>Filter Holder for FresnelSpot</b>	€ 100
101575	<b>Flashtube for FresnelSpot</b>	€ 639
101585	<b>Glass cover for FresnelSpot</b>	€ 181
102071	<b>Modelling lamp 120 V. 300 W GX/GY 6.35 Frosted</b>	€ 20
102070	<b>Modelling lamp 230 V. 300 W GX/GY 6.35 Frosted</b>	€ 37
102072	<b>Modelling lamp 230 V. 650 W GX/GY 6.35</b>	€ 43
	MULTISPOT	
100733	<b>MultiSpot 120 V</b>	€ 2 309
100773	<b>MultiSpot 230 V</b>	€ 2 309
100744	<b>BarnDoor for MultiSpot</b>	€ 209
100750	<b>Clear fresnel lens 80mm for MultiSpot</b>	€ 125
100746	<b>Projection Spot attachment</b> (Dedolight DP-1 with Mounting adapter for MultiSpot)	€ 924
100775	<b>Mounting adapter</b> (for Dedolight DP-1 Projection Spot)	€ 369
100747	<b>Shutter kit (4pcs)</b> (for Projection Spot attachment 100746)	€ 62
100748	<b>Iris Diaphragm</b> (for Projection Spot attachment 100746)	€ 146
100749	<b>Slide Holder</b> (for Projection Spot attachment 100746)	€ 84
100791	<b>Gobos for Spot small</b> (Kit with M-size gobos)	€ 177
101570	<b>Flashtube for MultiSpot</b>	€ 576
102070	<b>Modelling lamp 230 V. 300 W GX/GY 6.35 Frosted</b>	€ 37
102071	<b>Modelling lamp 120 V. 300 W GX/GY 6.35 Frosted</b>	€ 20

## ZoomSpot



The ZoomSpot is a large, focusable tool that can be used for background projections, as accent light over large distances, or for creating interesting stage light effects. The actual zoom lens can adjust the light spread from 15° to 35° and has a revolving lens unit to simplify lighting adjustments. The ZoomSpot also has an integrated support for filters, gobos and masks. The ZoomSpot comes with a 300W modeling light and can handle up to 2400Ws through its incorporated flashtube.

## StillLight



The StillLight is a large hard-sided light source with a perfectly even illumination and extremely low light fall-off from corner to corner. The StillLight creates a soft, wrapping light with exceptional tonal reproduction. This makes it versatile enough to photograph everything from skin tones to highly reflective objects, such as glass or jewelry. It can be used with Acute, D4 and Pro generators. Depending on the size of the StillLight, they come with either three or four flashtubes. The fact that each flashtube has its own power cable allows for distinctive graduation control when working with the units.

## StickLight



The StickLight is a small and handy lamp head for car-, furniture-, interior- and people photography. It can be placed behind or even inside a car or cupboard to create sublime lighting effects.

*Note: 120V versions are compatible with Pro generators on all markets. 230V versions are compatible with Acute2 and D4 on 230V markets. The only difference is the modelling lamps so the version can be easily switched at any time.*

PRODUCT #	DESCRIPTION	PRICE EURO
	ZOOMSPOT	
100764	<b>ZoomSpot 230 V</b>	€ 6 824
100774	<b>Iris Diaphragm for ZoomSpot</b>	€ 419
100695	<b>Pattern Holder for ProSpot</b>	€ 60
101571	<b>Flashtube for ZoomSpot</b>	€ 870
100694	<b>Pin Spot Set 6 pieces.</b>	€ 57
100778	<b>Filter holder for ZoomSpot</b>	€ 45
102071	<b>Modelling lamp 120 V. 300 W GX/GY 6.35 Frosted</b>	€ 20
102072	<b>Modelling lamp 230 V. 650 W GX/GY 6.35</b>	€ 43
	STILLLIGHT	
100739	<b>StillLight XL 120 V</b>	€ 6 299
100769	<b>StillLight XL 230 V</b>	€ 6 299
100740	<b>StillLight XXL 120 V</b>	€ 11 549
100770	<b>StillLight XXL 230 V</b>	€ 11 549
100776	<b>BarnDoor for StillLight XL (One piece)</b>	€ 314
100777	<b>BarnDoor for StillLight XXL (One piece)</b>	€ 314
101578	<b>Flashtube for StripLight &amp; StillLight</b>	€ 828
102075	<b>Modelling lamp 230 V. 150 W Ba15d</b>	€ 24
102076	<b>Modelling lamp 120 V. 150 W Ba15d</b>	€ 34
102077	<b>Modelling lamp 120 V. 75 W Ba15d</b>	€ 17
102078	<b>Modelling lamp 230 V. 75 W Ba15d</b>	€ 17
	STICKLIGHT	
100738	<b>StickLight</b>	€ 1 653
101573	<b>Flashtube for StickLight</b>	€ 469



# Profoto Accessories

The bits and pieces that ties it all together. Everything from bags to USB cables.

PRODUCT #	DESCRIPTION	PRICE EURO
<b>BAGS &amp; CASES</b>		
<b>AIR CASES – HARD CASES BY TENBA</b>		
340203	<b>Air Case for Pro Generator</b> Fits one Pro/Pro-B generator. With the use of optional divider Pro-B3/B2/7b can be packed with 2 spare batteries.	€ 435
340204	<b>Air Case for Pro Generator with 1 Head</b> Fits one Pro/Pro-B generator and one head including Zoom Reflector.	€ 509
340205	<b>Air Case for Pro Generator with 2 Heads</b> Fits one Pro/Pro-B generator and two heads including Zoom Reflector.	€ 533
340207	<b>Divider for Pro-B3/B2/7b batteries</b> (fits Air Cases 340203, 340204 & 340205)	€ 37
340206	<b>Air Case for Acute2 generator with 2 Heads</b> Fits one Acute2 generator and two heads including Zoom Reflector	€ 570
340213	<b>Air Case for 3 Magnum Reflectors</b>	€ 324
340214	<b>Air Case for 5 Magnum Reflector</b>	€ 366
340215	<b>Air Case for FresnelSpot</b> (fits one 100771 or 100741)	€ 704
100780	<b>Air Case for Striplight Small</b> (fit one StripLight S)	€ 803
100781	<b>Air Case for Striplight Medium</b>	€ 1 049
100782	<b>Air Case for Striplight Large</b>	€ 1 469
<b>SOFTPADDED BAGS</b>		
330211	<b>Bag S</b> Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit.	€ 89
330212	<b>Bag M</b> Softpadded kit bag with shoulder strap, suitable for Acute2 Value Kit or D1 Studio Kit.	€ 106
330220	<b>NEW Trolley bag L</b> Large softpadded kit bag with wheels and shoulder strap, suitable for D1 3-head Studio Kits.	€ 253
340202	<b>Pro-B Protective Bag</b> (fits one Pro-B3, Pro-B2 or Pro-7b with battery)	€ 199
340208	<b>NEW Pro-B4 Protective Bag</b> (fits one Pro-B4 with battery & charger)	€ 199
340212	<b>SoftLight Reflector Case</b> (Softpadded, fits one 100608 or 100607)	€ 314
254581	<b>Bag for Giant 150</b> (Softpadded, fits one Giant 150)	€ 135
254582	<b>Bag for Giant 180 &amp; 210</b> (Softpadded, fits one Giant Reflector 180 or Giant 210)	€ 209
254583	<b>Bag for Giant 240</b> (Softpadded, fits one Giant Reflector 240)	€ 310
254584	<b>Bag for Giant 300</b> (Softpadded, fits one Giant Reflector 300)	€ 366
100298	<b>Bag for Grid Kit</b> (for Grid Kit 900849)	€ 26
100281	<b>Dust cover for D4 Generator</b>	€ 72
<b>BATTERIES</b>		
901105	<b>LiFe Battery incl. Cassette</b> (Lithium-Ion battery for AcuteB2, providing 200 full power flashes)	€ 377
900934	<b>Pb Battery incl. Cassette</b> (Lead acid battery for AcuteB and AcuteB2)	€ 177
900925	<b>NEW Li-Ion Battery for Pro-B4</b> (Quick exchange battery cassette for Pro-B4)	€ 825
900926	<b>LiFe Battery including Cassette</b> (for Pro-B3, Pro-B2 and Pro-7b)	€ 710
900726	<b>Pb Battery including Cassette</b> (for Pro-B3, Pro-B2 and Pro-7b)	€ 390
<b>BATTERY CHARGERS</b>		
100290	<b>Profoto battery charger 1 A</b> (Standard charger for AcuteB and AcuteB2, recharges battery in 5 hours)	€ 104
100218	<b>Profoto battery charger 2 A</b> (Multivoltage charger for Pro-B3, Pro-B2, Pro-7b and AcuteB2)	€ 226
100304	<b>NEW Battery Quick Charger for Pro-B4</b> (Multivoltage charger for Pro-B4, recharges battery in 45 minutes, incl. mains cable)	€ 445



PRODUCT #	DESCRIPTION	PRICE EURO
<b>CABLES</b>		
<b>AIR SYNC CABLES</b>		
103011	Male 3.5 mm miniphone to PC	€ 6
103016	1/4 Phono male to 3.5mm miniphone male	€ 7
103018	Sync adapter 1/4 Phono male to miniphone	€ 7
103020	Male 3.5 mm miniphone to miniphone. 30 cm	€ 7
<b>AIR CAMERA RELEASE CABLES</b>		
103012	Male 3.5 mm miniphone to Canon remote connector	€ 23
103023	Male 3.5 mm miniphone to Canon remote connector. Pre-Release	€ 47
103013	Male 3.5 mm miniphone to Nikon remote connector	€ 23
103024	Male 3.5 mm miniphone to Nikon remote connector. Pre-Release	€ 62
103014	Male 3.5 mm miniphone to Hasselblad remote connector	€ 50
103025	Male 3.5 mm miniphone to Hasselblad remote connector. Pre-Release	€ 38
103026	Male 3.5 mm miniphone to Olympus remote connector	€ 43
103027	Male 3.5 mm miniphone to Olympus remote connector. Pre-Release	€ 47
103028	Male 3.5 mm miniphone to Phase One remote connector	€ 76
103029	Male 3.5 mm miniphone to Sony remote connector	€ 43
<b>EXTENSION CABLES</b>		
330601	Lamp extension cable for AcuteD4 heads 5m (for AcuteD4 Head, AcuteD4 Twin and AcuteD4 Ring)	€ 198
303518	Pro Lamp Extension Cable 5 m (for all Proheads)	€ 268
303519	Pro Lamp Extension Cable 10 m (for all Proheads)	€ 362
283522	ProDaylight 200/400 Extension Cable 5m	€ 261
283521	ProDaylight 800 Extension Cable 5m	€ 282
<b>POWER CABLES</b>		
102506	Power Cable EUR Pro-6/7/8 and D4 gnd (for Pro and D4 Studio Generators)	€ 51
102507	Power Cable US/CAN Pro-6/7/8 and D4 gnd (for Pro and D4 Studio Generators)	€ 41
102514	Power Cable Pro-6/7/8 and D4 Denmark (for Pro and D4 Studio Generators)	€ 62
102516	Power Cable Pro-6/7/8 and D4 U.K. (for Pro and D4 Studio Generators)	€ 51
102520	Power Cable Pro-6/7/8 and D4 Schweiz (for Pro and D4 Studio Generators)	€ 62
102501	Power Cable Acute/D1 EUR (for Acute2, D1 and Continuous Lights)	€ 21
102502	Power Cable Acute/D1 JAP (for Acute2, D1 and Continuous Lights)	€ 25
102509	Power Cable US/CAN Acute gnd (for Acute2, D1 and Continuous Lights)	€ 38
102517	Power Cable Acute/ComPact U.K. (for Acute2, D1 and Continuous Lights)	€ 21
102513	Power Cable Acute/ComPact DEN. (for Acute2, D1 and Continuous Lights)	€ 35
102519	Power Cable Acute/CP Schweiz (for Acute2, D1 and Continuous Lights)	€ 33
102527	Power Cable Acute/D1 AUS (for Acute2, D1 and Continuous Lights)	€ 37
<b>SYNC CABLES</b>		
103001	Synchro Cable 5 m (6,3 mm)	€ 20
103006	Double Synchro Inlet	€ 15
103010	D1 Sync cable 5 m (3,5 mm)	€ 15
<b>USB CABLES</b>		
103201	USB Standard Cable 5 m	€ 5
103017	USB 2.0 Extension Cable. Type-A Male to Female	€ 4



PRODUCT #	DESCRIPTION	PRICE EURO
FLASHTUBES		
101552	<b>NEW ProHead Flashtube Perfect ARC</b> (For ProHead Plus, Pro-B Head Plus and older headsProHeads / Pro-B Heads.)	€ 365
101532	<b>Single ProTwin Flashtube</b>	€ 440
301501	<b>Flashtube ProRing UV</b>	€ 503
301502	<b>Flashtube ProRing UNC</b>	€ 503
301508	<b>Flashtube ProRing2</b>	€ 944
331521	<b>Flashtube AcuteB Head</b>	€ 188
331514	<b>Flashtube AcuteD4 Head</b> (Also fits discontinued ComPact 1200)	€ 341
331515	<b>Flashtube Acute/D4 Twin</b>	€ 419
331517	<b>Flashtube Acute/D4 Ring UV</b>	€ 524
331518	<b>Flashtube Acute/D4 Ring UNC</b>	€ 524
331522	<b>Flashtube D1 250</b>	€ 104
331523	<b>Flashtube D1 500/1000</b>	€ 114
101570	<b>Flashtube for MultiSpot</b>	€ 576
101571	<b>Flashtube for ZoomSpot</b>	€ 870
101573	<b>Flashtube for StickLight</b>	€ 469
331507	<b>ComPact Flashtube UV-coated</b>	€ 150
331508	<b>ComPact Flashtube uncoated</b>	€ 150
331511	<b>ComPactPlus Flashtube UV-Coat.</b>	€ 183
331510	<b>ComPactPlus Flashtube Uncoated</b>	€ 183



PRODUCT #	DESCRIPTION	PRICE EURO
<b>GLASS COVERS</b>		
<b>75 MM GLASS COVERS FOR PROHEADS AND ACUTED4 HEADS</b>		
<i>Note: Can only be used with modelling light bulbs up to 250W and is not suitable for Twin heads.</i>		
101533	<b>Glass Cover 75 mm Frosted UV</b> (-300K, Standard)	€ 167
101535	<b>Glass Cover 75 mm Frosted Extra UV</b> (-600 K)	€ 167
101534	<b>Glass Cover 75 mm Frosted UNC</b> (Uncoated)	€ 156
101537	<b>Glass Cover 75 mm Clear UV</b> (-300K)	€ 167
101536	<b>Glass Cover 75 mm Clear UNC</b> (Uncoated)	€ 156
101590	<b>NEW Glass Cover Plus 75mm Frosted -300K</b> (Pro Plus heads standard)	€ 173
101591	<b>NEW Glass Cover Plus 75mm Frosted -600K</b>	€ 173
101592	<b>NEW Glass Cover Plus 75mm Frosted Uncoated</b>	€ 165
101593	<b>NEW Glass Cover Plus 75mm Clear -300K</b>	€ 173
101594	<b>NEW Glass Cover Plus 75mm Clear Uncoated</b>	€ 165
<b>100 MM GLASS COVERS FOR PROHEADS AND ACUTED4 HEADS</b>		
<i>Note: Can be used with all modelling light bulbs and with Twin heads.</i>		
101518	<b>Glass Cover 100 mm UV</b> (-300K, Standard)	€ 177
101519	<b>Glass Cover 100 mm UV</b> (-600 K)	€ 177
101520	<b>Glass Cover 100 mm frosted</b> (Uncoated)	€ 167
101521	<b>Glass Cover 100 mm UV Clear</b> (-300K)	€ 177
101523	<b>Glass Cover 100 mm Clear UNC</b> (Uncoated)	€ 167
101595	<b>NEW Glass Cover Plus 100 mm Frosted -300K</b>	€ 185
101596	<b>NEW Glass Cover Plus 100 mm Frosted -600K</b>	€ 185
101597	<b>NEW Glass Cover Plus 100 mm Frosted Uncoated</b>	€ 177
101598	<b>NEW Glass Cover Plus 100 mm Clear -300K</b>	€ 185
101599	<b>NEW Glass Cover Plus 100 mm Clear Uncoated</b>	€ 177
<b>GLASS COVERS FOR D1</b>		
331524	<b>Glass plate. Standard. D1</b>	€ 39
331525	<b>Glass plate D1. Clear</b>	€ 36
331526	<b>Glass plate D1. -300 K</b>	€ 58
331527	<b>Glass plate D1. -600 K</b>	€ 58
101561	<b>Glass cover D1</b>	€ 104
101562	<b>Glass cover D1. -600 K</b>	€ 125
101563	<b>Glass cover D1. -300 K</b>	€ 125
<b>GLASS COVERS FOR PRORING AND ACUTED4 RING</b>		
301503	<b>Glass Cover Ringflash</b>	€ 21
<b>GLASS COVERS FOR CONTINUOUS LIGHT</b>		
101542	<b>NEW Glass Cover Frosted w. Ring 70 mm</b> (for ProDaylight and ProTungsten)	€ 169
101543	<b>NEW Glass Cover Clear w. Ring 70 mm</b> (for ProDaylight and ProTungsten)	€ 159



PRODUCT #	DESCRIPTION	PRICE EURO
<b>LAMPS</b>		
<b>BULBS FOR CONTINUOUS LIGHT</b>		
282017	<b>ProTungsten lamp 500W EHC 110V G9.5</b> (for US and markets with 110-120V mains voltage)	€ 39
282016	<b>ProTungsten lamp 500W 240V G9.5</b> (for EU and markets with 220-240V mains voltage)	€ 51
282015	<b>ProTungsten lamp 1000W FEL 110V G9.5</b> (for US and markets with 110-120V mains voltage)	€ 43
282014	<b>ProTungsten lamp 1000W FEP 240V G9.5</b> (for EU and markets with 220-240V mains voltage)	€ 30
282023	<b>ProDaylight bulb 200W HR UV-C</b>	€ 261
282020	<b>ProDaylight bulb 400W HR UV-C</b>	€ 272
282021	<b>ProDaylight bulb 800W HR UV-C</b>	€ 261
<b>MODELLING LAMPS</b>		
102010	<b>150 W. 230 V Halogen Modeling lamp E27</b>	€ 19
102012	<b>250 W. 240 V Halogen Modeling lamp E27</b>	€ 23
102011	<b>150 W. 120 V Halogen Modeling lamp E27</b>	€ 19
102016	<b>250 W. 120 V Halogen Modeling lamp E27</b>	€ 23
102002	<b>250 W. 120 V Halogen Mini-can E11</b>	€ 23
102007	<b>500 W. 120 V Halogen Mini-can E11</b>	€ 33
102014	<b>100 W. 120 V Halogen Mini-can E11</b>	€ 20
102019	<b>20 W. 12 V Frosted G4</b>	€ 3
102018	<b>65 W. 12 V Halogen GX/GY 6.35</b>	€ 12
102071	<b>Modlamp 120 V. 300 W. D1</b>	€ 20
102073	<b>Modelling lamp 12 V. 20 W G4</b>	€ 4
102074	<b>Modelling lamp 24 V. 20 W G4</b>	€ 4
102075	<b>Modelling lamp 230 V. 150 W Ba15d</b>	€ 24
102076	<b>Modelling lamp 120 V. 150 W Ba15d</b>	€ 34
102077	<b>Modelling lamp 120 V. 75 W Ba15d</b>	€ 17
102078	<b>Modelling lamp 230 V. 75 W Ba15d</b>	€ 17
<b>POWERING ACCESSORIES</b>		
901123	<b>BatPac 230V</b> Portable power source with two EU 230V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102501) & BatPac bag	€ 1 112
901124	<b>BatPac 120 V</b> Portable power source with two US 120V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102509) & BatPac bag	€ 1 112
900895	<b>Pro-B MainsDock</b> (Docking station to power Pro-B3, Pro-B2 and Pro-7b from mains, multivoltage.)	€ 899



PRODUCT #	DESCRIPTION	PRICE EURO
<b>STANDS</b>		
<b>COLUMN STANDS</b>		
101090	<b>EasyStand M</b> The EasyStand M is a stable and solid column stand with manual height adjustment that allows a very low lamp position. The EasyStand M is perfectly suited for Fresnel spots and ZoomSpots, small light banks, diffusion screens and normal heads with large reflectors. Include roller wheels, screw lock, 5/8 inch stand adapter and a generator platform.	€ 1 201
101091	<b>EasyStand L</b> As EasyStand M but with even stronger column and gravity control with weight compensation up to 10kgs / 22 pounds). Perfect for StripLights.	€ 2 729
101092	<b>EasyStand XL</b> As EasyStand L but with even stronger column and gravity control with weight compensation up to 20kgs / 44 pounds). Perfect for Large StripLights and StillLight XL.	€ 4 268
101094	<b>EasyStand XXL Electric</b> Motorized columnstand that can carry very large and heavy lights up to 25kgs. Perfect for StillLight XXL.	€ 7 349
<b>PORTABLE STANDS</b>		
101060	<b>NEW Mini Compact Stand</b> (Aluminium stand, air cushioned. 4 sections, 3 risers)	€ 100
101061	<b>NEW Compact Stand</b> (Aluminium stand, air cushioned. 3 sections, 2 risers)	€ 109
101085	<b>D1 Kit Stand</b>	€ 47
<b>TRANSPORT CAPS</b>		
100708	<b>Transport Protective Cap</b> (for ProHead, Pro-B Head and ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€ 15
100638	<b>Metal Protective Cap</b> (for ProHead, Pro-B Head, ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€ 73
100786	<b>Zoom-Cap</b>	€ 22
<b>OTHER ACCESSORIES</b>		
330605	<b>Lamp adapter E11 / Gy 6.35</b> (adapter to use model light on AcuteD4 Head with AcuteB and AcuteB2 generators)	€ 51
100709	<b>Handle Pro-7Head</b> (For ProHead, ProTwin and Pro-B head, makes adjustment of heavy light shaping tools easier)	€ 37
100702	<b>Locking Device Kit</b> (2pcs, replacement springs to lock glass covers)	€ 8
101079	<b>Adapter 16 mm OH</b> (5/8 inch stand adapter for all standard Pro and Acute heads)	€ 15
101074	<b>NEW Stand Adapter Plus 16 mm / 5/8 inch</b> (Pro Plus standard stand adapter for all standard Pro and Acute heads)	€ 30
331001	<b>Stand attachment for ComPacts</b>	€ 99

## Some photographers can tell just from seeing a picture, if Profoto equipment has been used.

For more than four decades, professional photographers around the world have come to value Profoto's expertise in lighting and light-shaping. Our extensive range of Light Shaping Tools offers photographers unlimited possibilities for creating and adjusting their own light. Profoto is the world leader in electronic flash. It is available for purchase or rental at professional photography stores, rental studios and rental houses worldwide, from Paris, London, Milan, New York, Tokyo to Cape Town.