

# Real life, beautifully squared.


































# Real life, beautifully squared.

Time goes by. Before you know it there are so many precious moments that you'll never have again.

The 1:1 square format INSTAX SQUARE SQ6 captures the beauty in each and every moment, so that you can cherish those memories for a lifetime.

## **SQUARE FORMAT**

With square format, there's no need to waste a precious moment deciding whether to capture it in portrait or landscape - just pick up the camera and snap. And at 1.5 times the size of INSTAX mini prints, there's plenty of room to set the scene.



INSTAX mini (86 x 54 mm) INSTAX SQUARE (86 x 72 mm)



INSTAX SQUARE (86 x 72 mm)

## **CAMERA DESIGN**













## **FUNCTIONS**

Automatic Exposure Control

This function brightens both the subject and background for capturing photos within dark rooms and night scenes.



**@**Q

Selfie Mode & Selfie Mirror

You can check the capture area of your selfie in a mirror next to the lens

Selfie Mode

automatically adjusts brightness and focal length to the ideal level for capturing selfies.





Macro Mode

This function allows you to capture subjects from a close range of 30cm-50cm.



Landscape Mode

Ideal for capturing subjects in the distance (2m beyond).



Double Exposure Mode

In this function, you can press the shutter twice to capture an artistic shot with two images in the same print.









Light / Dark Mode

Control the brightness of your photo and add a low-key or high-key effect.



\* Simulated images

#### **3 STROBE COLOR FILTERS**

Three strobe color filters (included) can be attached to the flash.









Orange Purple

Green

#### **SPECIFICATIONS**

| 0. 20                |                                                                                          |  |  |  |  |
|----------------------|------------------------------------------------------------------------------------------|--|--|--|--|
| Film                 | FUJIFILM INSTAX SQUARE instant print film (purchased separately)                         |  |  |  |  |
| Picture Size         | 62 mm x 62 mm/2.4 in. x 2.4 in.                                                          |  |  |  |  |
| Lens                 | Retractable lens, 2 components, 2 elements, f = 65.75 mm, 1:12.6                         |  |  |  |  |
| Viewfinder           | Inverted Galilean finder, 0.4 x, with target spot                                        |  |  |  |  |
| Focusing             | 3 separately available, motor-driven, focus modes: Macro Mode (0.3 m - 0.5 m/1 ft        |  |  |  |  |
|                      | 1.6 ft.) Normal Mode (0.5 m - 2 m/1.6 ft - 6.6 ft.) Landscape Mode (2 m/6.6 ft and       |  |  |  |  |
|                      | beyond)                                                                                  |  |  |  |  |
| Shutter Release      | Programmed electronic shutter release, 1.6 sec - 1/400 sec.                              |  |  |  |  |
| Exposure Control     | Automatic, Interlocking range (ISO 800): LV 5 - LV 15.5,                                 |  |  |  |  |
|                      | Exposure compensation: ±2/3 EV                                                           |  |  |  |  |
| Film Feeding Out     | Automatic                                                                                |  |  |  |  |
| Film Developing Time | Approximately 90 seconds (Varies depending on the ambient temperature)                   |  |  |  |  |
| Flash                | In Macro mode: Built-in, automatic electronic flash                                      |  |  |  |  |
|                      | In a mode other than Macro mode: Flash on (unless you use "Flash off Mode")              |  |  |  |  |
|                      | Charging time: 0.2 sec - 7 sec (using a new battery), Flash charging indicator,          |  |  |  |  |
|                      | Effective flash lamp range: 0.3 m - 2.7 m/1 ft 8.9 ft.                                   |  |  |  |  |
| Self-Timer           | Electronically controlled, approx. 10 second delay, Can be stopped mid-run               |  |  |  |  |
| LED Display          | Shooting mode (Auto, Selfie, Macro, Landscape, Double exposure), Brightness              |  |  |  |  |
|                      | adjustment, Flash suppressing, Self timer Mode                                           |  |  |  |  |
| Power Supply         | Two CR2/DL CR2 lithium batteries                                                         |  |  |  |  |
|                      | Capacity: Approximately 30 INSTAX SQUARE 10-pack film packs with                         |  |  |  |  |
|                      | new CR2/DL CR2 lithium batteries                                                         |  |  |  |  |
| Others               | Film pack confirmation window, tripod socket (tripod sold separately)                    |  |  |  |  |
| Dimensions & Weight  | t 118.7 mm x 128.1 mm x 58.1 mm/4.7 in. × 5.0 in. × 2.3 in. (not including protrusions)/ |  |  |  |  |
|                      | 393 g/13.9 oz. (without battery, strap, and film pack)                                   |  |  |  |  |
| Contents             | INSTAX SQUARE SQ6 instant print camera, two CR2/DL CR2 lithium batteries,                |  |  |  |  |
|                      | shoulder strap, three strobe color flash filters                                         |  |  |  |  |

<sup>\*</sup> Specifications are subject to change.

•The photos printed in this catalog were taken on an INSTAX SQUARE SQ6.

•The colors of the actual camera may be different from those used in this catalog due to various conditions for printing.
•FUJIFILM, INSTAX, VALUE FROM INNOVATION and INSTAX SQUARE are trademarks of FUJIFILM Corporation and its affiliates.
©2018 FUJIFILM North America Corporation. All Rights Reserved.

#### **INSTANT FILM**

### **FUJ!FILM**

## instax SQUARE®

Film size : 72 mm x 86 mm Image size : 62 mm x 62 mm

# WHITE Frame

•10 Sheet Pack •20 Sheet Pack





### BLACK Frame

•10 Sheet Pack





### fujifilmusa.com/products/instax







| Material Code | Description       | Unit UPC Code | Unit Dims.                 | Unit Weight | Minimum Order |
|---------------|-------------------|---------------|----------------------------|-------------|---------------|
| 16581460      | SQ6 BLUSH GOLD    | 074101038095  | 6.1" x 6.1" x 4.1" (LxWxH) | 0.5 lbs     | 8             |
| 16581472      | SQ6 GRAPHITE GRAY | 074101038026  | 6.1" x 6.1" x 4.1" (LxWxH) | 0.5 lbs     | 8             |
| 16581458      | SQ6 PEARL WHITE   | 074101038187  | 6.1" x 6.1" x 4.1" (LxWxH) | 0.5 lbs     | 8             |

Ref.No. INSTAXSQUARESQ6

<sup>\*</sup> Certification marks acquired by the camera are located on the back of the camera.